

SOMERSET NOTABLE SPECIES DICTIONARY

FIFTH EDITION



Produced for the Somerset Environmental Records Centre by
Rob Large, SERC Project Officer
May 2000

Authorised by the SERC Management Group 5th May 2000

This dictionary is © Somerset Environmental Records Centre and should not be copied or supplied to third parties without the written consent of SERC.

This document does not contain confidential information

Further copies of this report can be obtained from
The Somerset Environmental Records Centre

Tonedale Mill, Wellington, Somerset. TA21 0AW
Tel: (01823) 664450, E-mail: info@somerc.com
Website: www.somerc.com

File saved as G:\Projects\Notables.dic\Revision 2000\Final Report.doc
Recorder Document number 1761

TABLE OF CONTENTS

| | |
|---|-----------|
| INTRODUCTION | 2 |
| VASCULAR PLANTS | 4 |
| MOSSES | 12 |
| LIVERWORTS | 14 |
| STONEWORTS | 14 |
| FUNGI | 15 |
| LICHENS | 18 |
| NON-MARINE MOLLUSCS | 21 |
| DRAGONFLIES | 22 |
| GRASSHOPPERS AND CRICKETS | 22 |
| BUTTERFLIES | 23 |
| MOths | 24 |
| Macro-moths..... | 24 |
| Pyralid moths..... | 26 |
| Micro-moths..... | 26 |
| BUGS | 28 |
| BEETLES | 29 |
| FLIES | 39 |
| ANTS, BEES AND WASPS | 43 |
| SPIDERS | 44 |
| OTHER INVERTEBRATES (NOT COVERED BY PRECEDING LISTS) | 45 |
| FRESHWATER FISH | 49 |
| AMPHIBIANS AND REPTILES | 50 |
| BIRDS | 50 |
| MAMMALS | 53 |
| APPENDIX A - CONSERVATION PROBLEM SPECIES | 54 |
| APPENDIX B - OTHER SPECIES TO WATCH | 55 |

INTRODUCTION

Since 1988 The Somerset Wildlife Trust and the Somerset Environmental Records Centre have been using a County Notable Species system as a tool for general ecological recording, site evaluation, biodiversity mapping and reserve monitoring throughout the county. The system provides a means of filtering the enormous quantity of species records that are produced and concentrating recording effort on those species which are uncommon or rare, or which have some other ecological importance.

The Dictionary comprises a series of lists for the main floral and faunal groups. Each list is derived from the Red Data lists of nationally notable species, along with those species which have some degree of protection in national or international law - primarily through the Wildlife and Countryside Act (1981 amended 1988) and the European Union

Habitats Directive (1992) and Birds Directive. For the first time the Dictionary also includes Biodiversity Action Plan priority species. Using these sources in combination with data held at SERC and elsewhere, lists have been produced which contain those species that have importance in Somerset. For those groups where data is plentiful, it has also been possible to identify species that are not nationally notable, but which are uncommon in the county.

The inclusion of updated status information and the greatly increased volume of records available since the fourth edition have in some cases made the lists quite different from their predecessors. It is hoped that for all groups the lists now more accurately reflect the vulnerable and endangered species of Somerset. In general the same objective criteria for selection developed for the last edition have been used wherever possible.

Previous editions of the Dictionary have included a proportion of species that have not been recorded in the county, but which it was deemed likely would occur. In this fifth edition I have attempted to avoid this practice as, in most cases those recorders who are capable of identifying extreme rarities and new county records will record them whether or not they are notables.

Each list includes the scientific name of each species, along with common names where available, the national and international status and in some cases a fourth column provides information about the reasons for selection or additional ecological details. Where species are commonly recorded by their common names (such as Birds and Butterflies) the lists have been ordered alphabetically by common name, other lists are ordered by scientific name.

In addition to the lists in the fourth edition Dictionary, there have been added a list of notable Stoneworts (Charophytes) and another of notable Fungi.

Additional lists have also been included as appendices, of species which it is felt deserve recording, but which do not satisfy the criteria for notable status. These species fall into four categories:

- Introduced, invasive or "conservation problem" species,
- Critical species - e.g. food plants for rare invertebrates,
- Indicators of rare or important habitats and,
- Nationally notable species which are common in Somerset

These additions notwithstanding, I will not make the claim of exhaustivity, which was made for the 1995 Dictionary. There have been omissions, in particular marine taxa are not specifically included. At present technical restrictions have made marine recording difficult for SERC. It is hoped however that such omissions will be corrected in the near future as data becomes available.

SERC and the author would like to thank all those people who freely gave their time and expertise to enable the production of these lists. In particular thanks go to:

Liz McDonnell, Ian and Paul Green, John Keylock, Richard Thompson, Vicky Coles, Prof. Francis Rose, Caroline Giddens, Nick Hodgetts, Nick Stewart, Richard Lansdown, Tony Smith, Colin Gillard, Pat Hill-Cottingham, Simon Randolph, Philip Radford, Mark Anderson, Julie Crampin, Roger Sutton, Mark Yeates, Tony Parsons, Andrew Duff, Ted and Dave Levy, Robin Williams, Glenda Orledge, Francis Farr-Cox, Toddy Cooper, John Lewis, Joyce Andrews, Brian Gibbs, David Westbrook, Tony Price, Liz Biron and Bill Butcher.

Rob Large
February 2000
Somerset Environmental Records Centre
Sandhill Park
Bishops Lydeard
Taunton TA4 3DE

VASCULAR PLANTS

| Scientific Name | Common Name | Status | Codes |
|--|-----------------------------|--------|------------------|
| <i>Achillea ptarmica</i> | Sneezewort | none | U, M |
| <i>Aconitum napellus</i> | Monk's-hood | ns | U, W |
| <i>Agrimonia procera</i> | Fragrant Agrimony | none | R |
| <i>Agrostis curtisii</i> | Bristle Bent | none | U, A, M, H, VA |
| <i>Agrostis vinealis</i> | Brown Bent | none | R |
| <i>Aira caryophyllea</i> | Silvery Hair-grass | none | U, CG, H, MC, SD |
| <i>Aira praecox</i> | Early Hair-grass | none | U, A, CG, H, MC |
| <i>Alchemilla filicaulis</i> ssp. <i>vestita</i> | a lady's mantle | none | U, VN |
| <i>Alchemilla vulgaris</i> agg. | Lady's-mantle | none | R |
| <i>Alchemilla xanthochlora</i> | a lady's mantle | none | R |
| <i>Allium ampeloprasum</i> var. <i>babingtonii</i> | Wild Leek | none | R |
| <i>Allium oleraceum</i> | Field Garlic | none | R |
| <i>Alopecurus aequalis</i> | Orange Foxtail | none | R |
| <i>Alopecurus bulbosus</i> | Bulbous Foxtail | ns | R |
| <i>Althaea hirsuta</i> | Rough Marsh-mallow | EN, LP | R |
| <i>Althaea officinalis</i> | Marsh-mallow | ns | R |
| <i>Ammophila arenaria</i> | Marram | none | R |
| <i>Anacamptis pyramidalis</i> | Pyramidal Orchid | none | U, CG |
| <i>Anagallis arvensis</i> ssp. <i>caerulea</i> | Blue Pimpernel | none | R |
| <i>Anagallis minima</i> | Chaffweed | none | R |
| <i>Anagallis tenella</i> | Bog Pimpernel | none | U, M, SD, VA |
| <i>Anchusa arvensis</i> | Bugloss | none | R |
| <i>Anthemis arvensis</i> | Corn Chamomile | none | R |
| <i>Anthriscus caucalis</i> | Bur Parsley | none | R |
| <i>Anthyllis vulneraria</i> | Kidney Vetch | none | U, CG, H, MC, SD |
| <i>Aphanes inexpectata</i> | Slender Parsley-piert | none | R |
| <i>Apium graveolens</i> | Wild Celery | none | U, MC |
| <i>Apium inundatum</i> | Lesser Marshwort | none | R |
| <i>Arabis hirsuta</i> | Hairy Rock-cress | none | R |
| <i>Arabis scabra</i> | Bristol Rock-cress | VU, LP | R |
| <i>Armeria maritima</i> ssp. <i>maritima</i> | Thrift | none | R |
| <i>Artemisia absinthium</i> | Wormwood | none | R |
| <i>Arum italicum</i> ssp. <i>neglectum</i> | Italian Lords and Ladies | ns | R |
| <i>Asperula cynanchica</i> ssp. <i>cynanchica</i> | Squinancy-wort | none | R |
| <i>Asplenium marinum</i> | Sea Spleenwort | none | R |
| <i>Asplenium obovatum</i> | Lanceolate Spleenwort | ns | R |
| <i>Asplenium septentrionale</i> | Forked Spleenwort | ns | R |
| <i>Aster linosyris</i> | Goldilocks Aster | nt | R |
| <i>Aster tripolium</i> | Sea Aster | none | R |
| <i>Astragalus glycyphyllos</i> | Wild Liquorice | none | R |
| <i>Atriplex glabriuscula</i> | Babington's Orache | none | R |
| <i>Atriplex laciniata</i> | Frosted Orache | none | R |
| <i>Atriplex littoralis</i> | Grass-leaved Orache | none | R |
| <i>Atriplex longipes</i> | Long-stalked Orache | ns | R |
| <i>Atriplex portulacoides</i> | Sea Purslane | none | R |
| <i>Atropa belladonna</i> | Deadly Nightshade | none | R |
| <i>Baldellia ranunculoides</i> | Lesser Water-plantain | none | R |
| <i>Berula erecta</i> | Lesser Water-parsnip | none | U, M, Aq, S |
| <i>Beta vulgaris</i> ssp. <i>maritima</i> | Sea Beet | none | U, MC, SD |
| <i>Blackstonia perfoliata</i> | Yellow-wort | none | U, CG, MC |
| <i>Blysmus compressus</i> | Flat-sedge | none | R |
| <i>Botrychium lunaria</i> | Moonwort | none | R |
| <i>Brachypodium pinnatum</i> | Tor-grass | none | R |
| <i>Bromopsis erecta</i> | Upright Brome | none | U, CG |
| <i>Bupleurum tenuissimum</i> | Slender Hare's-ear | ns | R |
| <i>Butomus umbellatus</i> | Flowering Rush | none | U, T |
| <i>Cakile maritima</i> | Sea Rocket | none | R |
| <i>Calamagrostis epigejos</i> | Wood Small-reed | none | U, W |
| <i>Callitriche brutia</i> | Pedunculate Water-starwort | none | R |
| <i>Callitriche obtusangula</i> | Blue-fruited Water-starwort | none | U, Aq |

VASCULAR PLANTS

| Scientific Name | Common Name | Status | Codes |
|---|-------------------------------|--------|-----------|
| <i>Callitricha platycarpa</i> | Various-leaved Water-starwort | none | U, Aq |
| <i>Callitricha truncata</i> | Short-leaved Water-starwort | ns | R |
| <i>Calystegia soldanella</i> | Sea Bindweed | none | R |
| <i>Campanula glomerata</i> | Clustered Bellflower | none | R |
| <i>Campanula rotundifolia</i> | Harebell | none | R |
| <i>Campanula trachelium</i> | Nettle-leaved Bellflower | none | R |
| <i>Cardamine impatiens</i> | Narrow-leaved Bitter-cress | ns | R |
| <i>Carduus tenuiflorus</i> | Slender Thistle | none | R |
| <i>Carex acuta</i> | Slender Tufted-sedge | none | R |
| <i>Carex acutiformis</i> | Lesser Pond-sedge | none | U, M, S |
| <i>Carex arenaria</i> | Sand Sedge | none | R |
| <i>Carex binervis</i> | Green-ribbed Sedge | none | U, H |
| <i>Carex depauperata</i> | Starved Wood-sedge | CE, LP | R |
| <i>Carex diandra</i> | Lesser Tussock-sedge | none | R |
| <i>Carex dioica</i> | Dioecious Sedge | none | R |
| <i>Carex distans</i> | Distant Sedge | none | R |
| <i>Carex disticha</i> | Brown Sedge | none | U, M |
| <i>Carex divisa</i> | Divided Sedge | ns | R |
| <i>Carex echinata</i> | Star Sedge | none | U, M |
| <i>Carex elata</i> | Tufted Sedge | none | R |
| <i>Carex extensa</i> | Long-bracted Sedge | none | R |
| <i>Carex hostiana</i> | Tawny Sedge | none | U, M |
| <i>Carex humilis</i> | Dwarf Sedge | ns | R |
| <i>Carex laevigata</i> | Smooth-stalked Sedge | none | U, W |
| <i>Carex lasiocarpa</i> | Slender Sedge | none | R |
| <i>Carex montana</i> | Soft-leaved Sedge | ns | R |
| <i>Carex pallescens</i> | Pale Sedge | none | U, W |
| <i>Carex paniculata</i> | Greater Tussock-sedge | none | U, M, S |
| <i>Carex pilulifera</i> | Pill Sedge | none | U, M, H |
| <i>Carex pulicaris</i> | Flea Sedge | none | U, M, H |
| <i>Carex rostrata</i> | Bottle Sedge | none | U, M |
| <i>Carex strigosa</i> | Thin-spiked Wood-sedge | none | U, W |
| <i>Carex vesicaria</i> | Bladder-sedge | none | R |
| <i>Carex viridula</i> ssp. <i>brachyrrhyncha</i> | Long-stalked Yellow Sedge | none | R |
| <i>Carex viridula</i> ssp. <i>viridula</i> | Small-fruited Yellow Sedge | none | R |
| <i>Carlina vulgaris</i> | Carline Thistle | none | U, CG, MC |
| <i>Catabrosa aquatica</i> | Whorl-grass | none | R |
| <i>Catapodium marinum</i> | Sea Fern-grass | none | R |
| <i>Centaurea scabiosa</i> | Greater Knapweed | none | U, CG |
| <i>Centaurium erythraea</i> var. <i>capitatum</i> | Dumpy Centaury | none | R |
| <i>Cephalanthera damasonium</i> | White Helleborine | none | R |
| <i>Cerastium arvense</i> | Field Mouse-ear | none | R |
| <i>Cerastium pumilum</i> | Dwarf Mouse-ear | ns | R |
| <i>Cerastium semidecandrum</i> | Little Mouse-ear | none | R |
| <i>Ceratocapnos claviculata</i> | Climbing Corydalis | none | U, W |
| <i>Ceratophyllum demersum</i> | Rigid Hornwort | none | U, Aq, S |
| <i>Ceratophyllum submersum</i> | Soft Hornwort | none | R |
| <i>Chamaemelum nobile</i> | Chamomile | ns | R |
| <i>Chenopodium murale</i> | Nettle-leaved Goosefoot | none | R |
| <i>Chrysanthemum segetum</i> | Corn Marigold | none | R |
| <i>Cirsium dissectum</i> | Meadow Thistle | none | U, M, VN |
| <i>Cirsium eriophorum</i> | Woolly Thistle | none | U, CG |
| <i>Cladium mariscus</i> | Great Fen-sedge | none | R |
| <i>Clinopodium acinos</i> | Basil Thyme | none | R |
| <i>Cochlearia anglica</i> | English Scurvygrass | none | R |
| <i>Cochlearia officinalis</i> | Common Scurvygrass | none | R |
| <i>Cochlearia pyrenaica</i> | Pyrenean Scurvygrass | none | R |
| <i>Coeloglossum viride</i> | Frog Orchid | none | R |
| <i>Colchicum autumnale</i> | Meadow Saffron | none | U, W, VN |
| <i>Convallaria majalis</i> | Lily of the Valley | none | R |

VASCULAR PLANTS

| Scientific Name | Common Name | Status | Codes |
|---|---------------------------|--------|-------------|
| <i>Crassula tillaea</i> | Mossy Stonecrop | ns | R |
| <i>Crataegus laevigata</i> | Midland Hawthorn | none | R |
| <i>Crithmum maritimum</i> | Rock Samphire | none | R |
| <i>Cruciata laevipes</i> | Crosswort | none | U, CG |
| <i>Cuscuta epithymum</i> | Dodder | none | R |
| <i>Cuscuta europaea</i> | Greater Dodder | ns | R |
| <i>Cynodon dactylon</i> | Bermuda-grass | VU | R |
| <i>Cynoglossum officinale</i> | Hound's-tongue | none | R |
| <i>Cystopteris fragilis</i> | Brittle Bladder-fern | none | R |
| <i>Dactylorhiza incarnata</i> | Early Marsh-orchid | none | R |
| <i>Dactylorhiza maculata</i> ssp. <i>ericetorum</i> | Heath-spotted Orchid | none | U, M |
| <i>Dactylorhiza praetermissa</i> | Southern Marsh-orchid | none | U, M, VN |
| <i>Daphne laureola</i> | Spurge-laurel | none | U, W |
| <i>Dianthus armeria</i> | Deptford Pink | VU, P | R |
| <i>Dianthus gratianopolitanus</i> | Cheddar Pink | VU, LP | R |
| <i>Dipsacus pilosus</i> | Small Teasel | none | R |
| <i>Draba muralis</i> | Wall Whitlowgrass | ns | R |
| <i>Drosera intermedia</i> | Oblong-leaved Sundew | none | R |
| <i>Drosera rotundifolia</i> | Round-leaved Sundew | none | U, M |
| <i>Dryopteris aemula</i> | Hay-scented Buckler-fern | none | R |
| <i>Dryopteris carthusiana</i> | Narrow Buckler-fern | none | R |
| <i>Echium vulgare</i> | Viper's Bugloss | none | R |
| <i>Eleocharis multicaulis</i> | Many-stalked Spike-rush | none | R |
| <i>Eleocharis quinqueflora</i> | Few-flowered Spike-rush | none | R |
| <i>Eleocharis uniglumis</i> | Slender Spike-rush | none | R |
| <i>Eleogiton fluitans</i> | Floating Club-rush | none | R |
| <i>Elytrigia atherica</i> | Sea Couch | none | R |
| <i>Elytrigia juncea</i> | Sand Couch | none | R |
| <i>Empetrum nigrum</i> ssp. <i>nigrum</i> | Crowberry | none | R |
| <i>Epipactis helleborine</i> | Broad-leaved Helleborine | none | U, W |
| <i>Epipactis leptochila</i> | Narrow-lipped Helleborine | ns | R |
| <i>Epipactis palustris</i> | Marsh Helleborine | none | R |
| <i>Equisetum fluviatile</i> | Water Horsetail | none | U, M, Aq, S |
| <i>Equisetum sylvaticum</i> | Wood Horsetail | none | R |
| <i>Equisetum variegatum</i> | Variegated Horsetail | ns | R |
| <i>Erica ciliaris</i> | Dorset Heath | nt | R |
| <i>Erica cinerea</i> | Bell Heather | none | U, M, H, VA |
| <i>Erica tetralix</i> | Cross-leaved Heath | none | U, M, H, VA |
| <i>Eriophorum angustifolium</i> | Common Cottongrass | none | U, M, VA |
| <i>Eriophorum latifolium</i> | Broad-leaved Cottongrass | none | R |
| <i>Eriophorum vaginatum</i> | Hare's-tail Cottongrass | none | U, M, VA |
| <i>Erodium maritimum</i> | Sea Stork's-bill | none | R |
| <i>Erodium moschatum</i> | Musk Stork's-bill | ns | R |
| <i>Erophila glabrescens</i> | Glabrous Whitlowgrass | none | R |
| <i>Eryngium campestre</i> | Field Eryngo | VU, LP | R |
| <i>Euphorbia amygdaloides</i> | Wood Spurge | none | U, W |
| <i>Euphorbia hyberna</i> | Irish Spurge | VU | R |
| <i>Euphorbia paralias</i> | Sea Spurge | none | R |
| <i>Euphorbia platyphyllus</i> | Broad-leaved Spurge | ns | R |
| <i>Festuca rubra</i> ssp. <i>litoralis</i> | a Fescue | none | R |
| <i>Filago minima</i> | Small Cudweed | none | R |
| <i>Filago vulgaris</i> | Common Cudweed | none | R |
| <i>Filipendula vulgaris</i> | Dropwort | none | R |
| <i>Frangula alnus</i> | Alder Buckthorn | none | R, W |
| <i>Fumaria bastardii</i> | Tall Ramping-fumitory | none | R |
| <i>Fumaria capreolata</i> | White Ramping-fumitory | none | R |
| <i>Fumaria densiflora</i> | Dense-flowered Fumitory | ns | R |
| <i>Fumaria purpurea</i> | Purple Ramping-fumitory | ns, P | R |
| <i>Gagea lutea</i> | Yellow Star-of-Bethlehem | none | R |
| <i>Galeopsis angustifolia</i> | Red Hemp-nettle | ns, P | R |

VASCULAR PLANTS

| Scientific Name | Common Name | Status | Codes |
|--|-------------------------------|---------------------|------------------|
| <i>Galium pumilum</i> | Slender Bedstraw | ns | R |
| <i>Galium uliginosum</i> | Fen Bedstraw | none | U, M |
| <i>Gastridium ventricosum</i> | Nit-grass | ns | R |
| <i>Genista anglica</i> | Petty Whin | none | R |
| <i>Genista tinctoria</i> ssp. <i>tinctoria</i> | Dyer's Greenweed | none | U, D |
| <i>Gentianella amarella</i> | Autumn Gentian | none | R |
| <i>Gentianella anglica</i> | Early Gentian | ns, P, LP, Annex II | R |
| <i>Geranium purpureum</i> | Little-Robin | none | R |
| <i>Geranium pusillum</i> | Small-flowered Crane's-bill | none | R |
| <i>Geranium robertianum</i> ssp. <i>maritimum</i> | a crane's-bill | none | R |
| <i>Geranium sanguineum</i> | Bloody Crane's-bill | none | R |
| <i>Geum rivale</i> | Water Avens | none | R |
| <i>Glaucium flavum</i> | Yellow Horned Poppy | none | R |
| <i>Glaux maritima</i> | Sea-milkwort | none | R |
| <i>Groenlandia densa</i> | Opposite-leaved Pondweed | none | R |
| <i>Gymnadenia conopsea</i> | Fragrant Orchid | none | R |
| <i>Gymnocarpium dryopteris</i> | Oak Fern | none | R |
| <i>Gymnocarpium robertianum</i> | Limestone Fern | ns | R |
| <i>Helianthemum apenninum</i> | White Rock-rose | nt | R |
| <i>Helianthemum nummularium</i> | Common Rock-rose | none | U, CG, H |
| <i>Helictotrichon pratense</i> | Meadow Oat-grass | none | U, CG |
| <i>Helleborus foetidus</i> | Stinking Hellebore | ns | R |
| <i>Helleborus viridis</i> | Green Hellebore | none | R |
| <i>Himantoglossum hircinum</i> | Lizard Orchid | VU, LP | R |
| <i>Hippocrepis comosa</i> | Horseshoe Vetch | none | R |
| <i>Hippuris vulgaris</i> | Mare's-tail | none | R |
| <i>Honckenya peploides</i> | Sea Sandwort | none | R |
| <i>Hordeum marinum</i> | Sea Barley | ns | R |
| <i>Hornungia petraea</i> | Hutchinsia | ns | R |
| <i>Hottonia palustris</i> | Water-violet | none | U, T |
| <i>Huperzia selago</i> | Fir Clubmoss | none | R |
| <i>Hydrocharis morsus-ranae</i> | Frogbit | none | U, Aq, S |
| <i>Hydrocotyle vulgaris</i> | Marsh Pennywort | none | U, M, SD, S |
| <i>Hymenophyllum tunbrigense</i> | Tunbridge Filmy Fern | none | R |
| <i>Hyoscyamus niger</i> | Henbane | none | R |
| <i>Hypericum elodes</i> | Marsh St. John's-wort | none | R |
| <i>Hypericum maculatum</i> ssp. <i>obtusiusculum</i> | a st john's wort | none | R |
| <i>Hypericum montanum</i> | Pale St. John's-wort | none | R |
| <i>Hypochaeris glabra</i> | Smooth Cat's-ear | ns | R |
| <i>Inula conyzae</i> | Ploughman's-spikenard | none | U, CG |
| <i>Isolepis cernua</i> | Slender Club-rush | none | R |
| <i>Jasione montana</i> | Sheep's-bit | none | U, H, MC |
| <i>Juncus acutus</i> | Sharp Rush | ns | R |
| <i>Juncus ambiguus</i> | Frog Rush | none | R |
| <i>Juncus compressus</i> | Round-fruited Rush | none | R |
| <i>Juncus foliosus</i> | Leafy Rush | none | R |
| <i>Juncus gerardii</i> | Saltmarsh Rush | none | R |
| <i>Juncus maritimus</i> | Sea Rush | none | R |
| <i>Juncus squarrosum</i> | Heath Rush | none | U, A, M, H, VA |
| <i>Juncus subnodulosus</i> | Blunt-flowered Rush | none | R |
| <i>Juncus subulatus</i> | Somerset Rush | none | R |
| <i>Koeleria macrantha</i> | Crested Hair-grass | none | U, MG, CG, H, SD |
| <i>Koeleria vallesiana</i> | Somerset Hair-grass | nt | R |
| <i>Lathraea squamaria</i> | Toothwort | none | U, W |
| <i>Lathyrus aphaca</i> | Yellow Vetchling | ns | R |
| <i>Lathyrus linifolius</i> var. <i>montanus</i> | a Bitter Vetch | none | U, H |
| <i>Lathyrus nissolia</i> | Grass Vetchling | none | U, VN |
| <i>Lathyrus palustris</i> | Marsh Pea | ns | R |
| <i>Lathyrus sylvestris</i> | Narrow-leaved Everlasting-pea | none | R, W |
| <i>Leersia oryzoides</i> | Cut-grass | EN, P | R |

VASCULAR PLANTS

| Scientific Name | Common Name | Status | Codes |
|-----------------|-------------|--------|-------|
|-----------------|-------------|--------|-------|

Somerset Notable Species Dictionary, Fifth Edition, Final Report, SERC, May 2000.

Page 7 of 55

| | | | |
|--|-----------------------------------|------|----------------|
| <i>Legousia hybrida</i> | Venus's-looking-glass | none | R |
| <i>Lepidium heterophyllum</i> | Smith's Pepperwort | none | R |
| <i>Lepidium latifolium</i> | Dittander | ns | R |
| <i>Leucojum vernum</i> | Spring Snowflake | none | R |
| <i>Leymus arenarius</i> | Lyme-grass | none | R |
| <i>Limonium binervosum</i> | Rock Sea Lavender | none | R |
| <i>Limonium procerum</i> ssp. <i>procerum</i> | a Sea Lavender | ns | R |
| <i>Limonium vulgare</i> | Common Sea-lavender | none | R |
| <i>Linum bienne</i> | Pale Flax | none | R |
| <i>Listera cordata</i> | Lesser Twayblade | none | R |
| <i>Lithospermum arvense</i> | Field Gromwell | none | R |
| <i>Lithospermum officinale</i> | Common Gromwell | none | R |
| <i>Lithospermum purpurocaeruleum</i> | Purple Gromwell | nt | R |
| <i>Littorella uniflora</i> | Shoreweed | none | R |
| <i>Lotus glaber</i> | Narrow-leaved Bird's-foot-trefoil | none | R |
| <i>Luzula forsteri</i> | Southern Wood-rush | none | U, W |
| <i>Luzula sylvatica</i> | Great Wood-rush | none | U, W |
| <i>Lycopodium clavatum</i> | Stag's-horn Clubmoss | none | R |
| <i>Lysimachia vulgaris</i> | Yellow Loosestrife | none | U, M |
| <i>Marrubium vulgare</i> | White Horehound | ns | R |
| <i>Medicago polymorpha</i> | Toothed Medick | ns | R |
| <i>Melampyrum pratense</i> | Common Cow-wheat | none | U, W |
| <i>Melittis melissophyllum</i> | Bastard Balm | ns | R |
| <i>Mentha suaveolens</i> | Round-leaved Mint | none | R |
| <i>Menyanthes trifoliata</i> | Bogbean | none | R |
| <i>Mibora minima</i> | Early Sand-grass | nt | R |
| <i>Minuartia hybrida</i> | Fine-leaved Sandwort | ns | R |
| <i>Minuartia verna</i> | Spring Sandwort | ns | R |
| <i>Misopates orontium</i> | Weasel's-snout | none | R |
| <i>Moenchia erecta</i> | Upright Chickweed | none | R |
| <i>Myosotis ramosissima</i> | Early Forget-me-not | none | U, A, CG, MC |
| <i>Myosurus minimus</i> | Mousetail | none | R |
| <i>Myrica gale</i> | Bog Myrtle | none | R |
| <i>Myriophyllum alterniflorum</i> | Alternate Water-milfoil | none | R |
| <i>Myriophyllum verticillatum</i> | Whorled Water-milfoil | ns | R |
| <i>Narcissus pseudonarcissus</i> ssp. <i>pseudonarcissus</i> | Daffodil | none | U, W |
| <i>Nardus stricta</i> | Mat-grass | none | U, A, M, H, VA |
| <i>Narthecium ossifragum</i> | Bog Asphodel | none | U, M |
| <i>Neottia nidus-avis</i> | Bird's-nest Orchid | none | R |
| <i>Oenanthe fistulosa</i> | Tubular Water-dropwort | none | U, T |
| <i>Oenanthe fluviatilis</i> | River Water-dropwort | none | R |
| <i>Oenanthe lachenalii</i> | Parsley Water-dropwort | none | R |
| <i>Ononis spinosa</i> | Spiny Restarrow | none | U, CG |
| <i>Ophioglossum azoricum</i> | Small Adder's-tongue | ns | R |
| <i>Ophioglossum vulgatum</i> | Adder's-tongue | none | U, M |
| <i>Ophrys apifera</i> | Bee Orchid | none | U, VC |
| <i>Ophrys insectifera</i> | Fly Orchid | none | R |
| <i>Orchis morio</i> | Green-winged Orchid | none | U, VN |
| <i>Oreopteris limbosperma</i> | Lemon-scented Fern | none | U, W |
| <i>Ornithogalum pyrenaicum</i> | Spiked Star-of-Bethlehem | ns | R |
| <i>Ornithopus perpusillus</i> | Bird's-foot | none | U, A |
| <i>Orobanche alba</i> | Thyme Broomrape | ns | R |
| <i>Orobanche hederae</i> | Ivy Broomrape | ns | R |
| <i>Orobanche rapum-genistae</i> | Greater Broomrape | ns | R |
| <i>Osmunda regalis</i> | Royal Fern | none | R |
| <i>Papaver argemone</i> | Prickly Poppy | none | R |
| <i>Papaver hybridum</i> | Rough Poppy | none | R |
| <i>Parapholis incurva</i> | Curved Hard Grass | ns | R |
| <i>Parapholis strigosa</i> | Hard Grass | none | R |
| <i>Parentucellia viscosa</i> | Yellow Bartsia | none | R |

VASCULAR PLANTS

| Scientific Name | Common Name | Status | Codes |
|--------------------------|-------------|--------|-------|
| <i>Paris quadrifolia</i> | Herb Paris | none | U, W |

| | | | |
|---|------------------------------|------|------------------|
| <i>Pastinaca sativa</i> ssp. <i>sativa</i> var. <i>sylvestris</i> | Wild Parsnip | none | U, CG |
| <i>Pedicularis palustris</i> | Marsh Lousewort | none | R |
| <i>Pedicularis sylvatica</i> ssp. <i>sylvatica</i> | a lousewort | none | U, M, VA |
| <i>Persicaria bistorta</i> | Common Bistort | none | U, S, VN |
| <i>Persicaria laxiflora</i> | Tasteless Water-pepper | ns | R |
| <i>Peucedanum palustre</i> | Milk Parsley | ns | R |
| <i>Phegopteris connectilis</i> | Beech Fern | none | R |
| <i>Phleum arenarium</i> | Sand Cat's-tail | none | R |
| <i>Pimpinella major</i> | Greater Burnet-saxifrage | none | R |
| <i>Pinguicula lusitanica</i> | Pale Butterwort | none | R |
| <i>Plantago coronopus</i> | Buck's-horn Plantain | none | U, CG, H, MC, SD |
| <i>Plantago maritima</i> | Sea Plantain | none | R |
| <i>Platanthera bifolia</i> | Lesser Butterfly-orchid | none | R |
| <i>Platanthera chlorantha</i> | Greater Butterfly-orchid | none | U, W, VC |
| <i>Poa bulbosa</i> | Bulbous Meadow-grass | ns | R |
| <i>Polycarpon tetraphyllum</i> | Four-leaved All-seed | nt | R |
| <i>Polygala serpyllifolia</i> | Heath Milkwort | none | U, M, H |
| <i>Polygala vulgaris</i> | Common Milkwort | none | U, CG, M, H |
| <i>Polygonatum multiflorum</i> | Solomon's-seal | none | U, W |
| <i>Polygonatum odoratum</i> | Angular Solomon's-seal | ns | R |
| <i>Polygonum oxyspermum</i> | Ray's Knotgrass | none | R |
| <i>Polygonum rurivagum</i> | Cornfield Knotgrass | none | R |
| <i>Polypodium cambricum</i> | Southern Polypody | none | R |
| <i>Polystichum aculeatum</i> | Hard Shield-fern | none | U, W |
| <i>Populus nigra</i> ssp. <i>betulifolia</i> | Black Poplar | none | U, Hg |
| <i>Potamogeton coloratus</i> | Fen Pondweed | ns | R |
| <i>Potamogeton crispus</i> | Curled Pondweed | none | U, Aq |
| <i>Potamogeton lucens</i> | Shining Pondweed | none | R |
| <i>Potamogeton obtusifolius</i> | Blunt-leaved Pondweed | none | R |
| <i>Potamogeton perfoliatus</i> | Perfoliate Pondweed | none | R |
| <i>Potamogeton polygonifolius</i> | Bog Pondweed | none | U, M, S |
| <i>Potamogeton trichoides</i> | Hairlike Pondweed | ns | R |
| <i>Potentilla neumanniana</i> | Spring Cinquefoil | ns | R |
| <i>Potentilla palustris</i> | Marsh Cinquefoil | none | R |
| <i>Prunella laciniata</i> | Cut-leaved Selfheal | none | R |
| <i>Puccinellia distans</i> ssp. <i>distans</i> | a saltmarsh grass | none | R |
| <i>Puccinellia fasciculata</i> | Borrer's Saltmarsh-grass | ns | R |
| <i>Puccinellia maritima</i> | Common Saltmarsh-grass | none | R |
| <i>Puccinellia rupestris</i> | Stiff Saltmarsh-grass | ns | R |
| <i>Quercus petraea</i> | Sessile Oak | none | U, W |
| <i>Radiola linoides</i> | Allseed | none | R |
| <i>Ranunculus arvensis</i> | Corn Buttercup | none | R |
| <i>Ranunculus baudotii</i> | Brackish Water-crowfoot | none | R |
| <i>Ranunculus circinatus</i> | Fan-leaved Water-crowfoot | none | R |
| <i>Ranunculus lingua</i> | Greater Spearwort | none | R |
| <i>Ranunculus peltatus</i> | Pond Water-crowfoot | none | R |
| <i>Ranunculus sardous</i> | Hairy Buttercup | none | R |
| <i>Ranunculus trichophyllus</i> | Thread-leaved Water-crowfoot | none | R |
| <i>Raphanus raphanistrum</i> ssp. <i>maritimus</i> | Sea Radish | none | R |
| <i>Reseda lutea</i> | Wild Mignonette | none | R |
| <i>Rhinanthus minor</i> | Yellow-rattle | none | U, CG, M |
| <i>Rhynchospora alba</i> | White Beak-sedge | none | R |
| <i>Rhynchospora fusca</i> | Brown Beak-sedge | ns | R |
| <i>Rorippa islandica</i> sens. str. | Northern Yellow-cress | ns | R |
| <i>Rorippa microphylla</i> | Narrow-fruited Water-cress | none | R |
| <i>Rosa agrestis</i> | Small-leaved Sweet-briar | nt | R |
| <i>Rosa micrantha</i> | Small-flowered Sweet-briar | none | R |
| <i>Rosa obtusifolia</i> | Round-leaved Dog-rose | none | R |
| <i>Rosa pimpinellifolia</i> | Burnet Rose | none | R |

VASCULAR PLANTS

| Scientific Name | Common Name | Status | Codes |
|------------------------|----------------------|--------|-------|
| <i>Rosa rubiginosa</i> | Sweet Briar | none | R |
| <i>Rosa sherardii</i> | Sherard's Downy-rose | none | R |

| | | | |
|--------------------------------|--------------------------|-------|-------------|
| Rosa tomentosa | Harshy Downy-rose | none | R |
| Rumex crispus ssp. littoreus | a dock | none | R |
| Rumex hydrolapathum | Water Dock | none | U, S |
| Rumex maritimus | Golden Dock | none | R |
| Rumex palustris | Marsh Dock | none | R |
| Ruppia cirrhosa | Spiral Tasselweed | ns | R |
| Sagina apetala ssp. apetala | Annual Pearlwort | none | R |
| Sagina maritima | Sea Pearlwort | none | R |
| Sagina nodosa | Knotted Pearlwort | none | R |
| Sagina subulata | Heath Pearlwort | none | R |
| Sagittaria sagittifolia | Arrowhead | none | U, T |
| Salicornia pusilla | One-flowered Glasswort | ns | R |
| Salicornia sp. | Glassworts | none | R |
| Salix repens | Creeping Willow | none | R |
| Salsola kali ssp. kali | Prickly Saltwort | none | R |
| Salvia verbenaca | Wild Clary | none | R |
| Sanguisorba officinalis | Great Burnet | none | R |
| Saxifraga granulata | Meadow Saxifrage | none | R |
| Saxifraga hypnoides | Mossy Saxifrage | none | R |
| Scabiosa columbaria | Small Scabious | none | U, CG |
| Scandix pecten-veneris | Shepherd's-needle | ns, P | R |
| Schoenoplectus lacustris | Common Club-rush | none | R |
| Schoenoplectus tabernaemontani | Grey Club-rush | none | R |
| Schoenus nigricans | Black Bog-rush | none | R |
| Scirpoides holoschoenus | Round-headed Club-rush | VU | R |
| Scirpus sylvaticus | Wood Club-rush | none | R |
| Scleranthus annuus ssp. annuus | Annual Knawel | none | R |
| Scutellaria galericulata | Skullcap | none | U, M |
| Scutellaria minor | Lesser Skullcap | none | U, M, VA |
| Sedum anglicum | English Stonecrop | none | U, A, H, MC |
| Sedum telephium | Orpine | none | R |
| Seriphidium maritimum | Sea Wormwood | none | R |
| Serratula tinctoria | Saw-wort | none | U, CG, M, H |
| Sibthorpia europaea | Cornish Moneywort | ns | R |
| Silene conica | Sand Catchfly | ns | R |
| Silene gallica | Small-flowered Catchfly | ns, P | R |
| Silene noctiflora | Night-flowering Catchfly | none | R |
| Silene uniflora | Sea Campion | none | R |
| Sium latifolium | Great Water-parsnip | ns, P | R |
| Solidago virgaurea | Goldenrod | none | U, H, SD, W |
| Sorbus anglica | a whitebeam | VU | R |
| Sorbus devoniensis | a whitebeam | ns | R |
| Sorbus eminens | a whitebeam | VU | R |
| Sorbus porrigentiformis | a whitebeam | ns | R |
| Sorbus rupicola | a whitebeam | ns | R |
| Sorbus subcuneata | a whitebeam | VU | R |
| Sorbus torminalis | Wild Service-tree | none | U, W, Hg |
| Sorbus vexans | a whitebeam | VU | R |
| Sparganium natans | Least Bur-reed | none | R |
| Spartina anglica | Common Cord-grass | none | R |
| Spergularia marina | Lesser Sea-spurrey | none | R |
| Spergularia media | Greater Sea-spurrey | none | R |
| Spergularia rupicola | Rock Sea-spurrey | none | R |
| Spiranthes spiralis | Autumn Lady's-tresses | none | U, VC |
| Stellaria pallida | Lesser Chickweed | none | R |
| Stellaria palustris | Marsh Stitchwort | none | R |
| Suaeda maritima | Annual Sea-blite | none | R |
| Sympytum tuberosum | Tuberous Comfrey | none | R |

VASCULAR PLANTS

| Scientific Name | Common Name | Status | Codes |
|-----------------------------|-------------------|--------|-------|
| Teesdalia nudicaulis | Shepherd's Cress | none | R |
| Thalictrum flavum | Common Meadow-rue | none | U, M |
| Thalictrum minus ssp. minus | a buttercup | none | R |

| | | | |
|---|--------------------------|-----------|-----------------|
| <i>Thelypteris palustris</i> | Marsh Fern | ns | R |
| <i>Thlaspi caerulescens</i> | Alpine Penny-cress | ns | R |
| <i>Thlaspi perfoliatum</i> | Perfoliate Penny-cress | VU, P, LP | R |
| <i>Thymus polytrichus</i> | Wild Thyme | none | U, CG, M, H, SD |
| <i>Thymus pulegioides</i> | Large Thyme | none | U, CG |
| <i>Tilia cordata</i> | Small-leaved Lime | none | R, Hg |
| <i>Torilis arvensis</i> | Spreading Hedge-parsley | ns, P | R |
| <i>Trichophorum cespitosum</i> ssp. <i>germanicum</i> | a sedge | none | U, M |
| <i>Trifolium arvense</i> | Hare's-foot Clover | none | R |
| <i>Trifolium glomeratum</i> | Clustered Clover | ns | R |
| <i>Trifolium ornithopodioides</i> | Bird's-foot clover | none | R |
| <i>Trifolium scabrum</i> | Rough Clover | none | R |
| <i>Trifolium squamosum</i> | Sea Clover | ns | R |
| <i>Trifolium strictum</i> | Upright Clover | VU | R |
| <i>Trifolium subterraneum</i> | Subterranean Clover | none | R |
| <i>Trifolium suffocatum</i> | Suffocated Clover | ns | R |
| <i>Triglochin maritima</i> | Sea Arrowgrass | none | R |
| <i>Triglochin palustris</i> | Marsh Arrowgrass | none | R |
| <i>Trinia glauca</i> | Honewort | nt | R |
| <i>Typha angustifolia</i> | Lesser Bulrush | none | R |
| <i>Utricularia australis</i> | Bladderwort | none | R |
| <i>Utricularia minor</i> | Lesser Bladderwort | none | R |
| <i>Utricularia vulgaris</i> | Greater Bladderwort | none | R |
| <i>Vaccinium oxycoccus</i> | Cranberry | none | R |
| <i>Vaccinium uliginosum</i> | Bog Bilberry | none | R |
| <i>Vaccinium vitis-idaea</i> | Cowberry | none | R |
| <i>Valeriana dioica</i> | Marsh Valerian | none | U, VN |
| <i>Valerianella dentata</i> | Narrow-fruited Cornsalad | none | R |
| <i>Valerianella eriocarpa</i> | Hairy-fruited Cornsalad | VU | R |
| <i>Valerianella rimosa</i> | Broad-fruited Cornsalad | CE, P | R |
| <i>Verbascum lychnitis</i> | White Mullein | ns | R |
| <i>Veronica anagallis-aquatica</i> | Blue Water-speedwell | none | U, Aq |
| <i>Vicia bithynica</i> | Bithynian Vetch | ns | R |
| <i>Vicia lathyroides</i> | Spring Vetch | none | R |
| <i>Vicia orobus</i> | Wood Bitter-vetch | none | R |
| <i>Vicia parviflora</i> | Slender Tare | ns | R |
| <i>Vicia sylvatica</i> | Wood Vetch | none | R |
| <i>Viola canina</i> ssp. <i>canina</i> | Dog-violet | none | R |
| <i>Viola lactea</i> | Pale Dog-violet | ns | R |
| <i>Viola lutea</i> | Mountain Pansy | none | R |
| <i>Viola palustris</i> ssp. <i>juressii</i> | a violet or pansy | none | R |
| <i>Viola palustris</i> ssp. <i>palustris</i> | Marsh Violet | none | U, M |
| <i>Viola tricolor</i> | Wild Pansy | none | R |
| <i>Vulpia ciliata</i> ssp. <i>ambigua</i> | Purple Fescue | ns | R |
| <i>Vulpia fasciculata</i> | Dune Fescue | ns | R |
| <i>Vulpia unilateralis</i> | Mat-grass Fescue | ns | R |
| <i>Wahlenbergia hederacea</i> | Ivy-leaved Bellflower | none | U, W, VA |
| <i>Wolffia arrhiza</i> | Rootless Duckweed | ns | U, Aq |
| <i>Zannichellia palustris</i> | Horned Pondweed | none | U, Aq |

Key to Statuses

IUCN threat categories (Threatened)

CR - Critically Endangered

EN - Endangered

VU - Vulnerable

IUCN threat categories (Lower Risk)

nt - near threatened

ns - nationally scarce

VASCULAR PLANTS

Other categories

LP - Legally protected by Wildlife and Countryside Act (1981)

P - Biodiversity action plan species

Annex II - Species protected under Annex II of the EU habitats directive (1992)

None - Species with none of the above designations.

Key to Codes

R - 'Rare' species recorded in 5% of tetrads or less in Somerset (48 tetrads or less)

U - 'Uncommon' species recorded in 5-20% of tetrads in Somerset (49-195 tetrads).

Species falling within this range are only selected as notables if they are:

a) Constant and preferential species for NVC communities which SERC regards as being of County Wildlife Site importance

A - Constant and preferential species from NVC calcifugous (acid) grassland communities

MG - Constant and preferential species from NVC mesotrophic (neutral) grassland communities

CG - Constant and preferential species from NVC calcicolous (calcareous) grassland communities

M - Constant and preferential species from NVC mire communities

H - Constant and preferential species from NVC heathland communities

Aq - Constant and preferential species from NVC aquatic communities

MC - Constant and preferential species from NVC maritime cliff communities

SD - Constant and preferential species from NVC sand dune communities

S - Constant and preferential species from NVC swamp communities

b) Species regarded by English Nature as being plants which are faithful to ancient woodland sites.

W - English Nature ancient woodland vascular plants

c) VEGAN indicators (grassland habitats)

VA - VEGAN acidic indicators

VN - VEGAN neutral indicators

VC - VEGAN calcareous indicators

d) Twinspan indicators (wetland/aquatic habitats)

T - Twinspan indicator species

e) Species which are adjudged to have declined rapidly at the local or national scale.

D - Species which are adjudged to have declined in recent years

f) Species which are considered by the DETR as indicators of important hedgerows

Hg - Important Hedgerow species

MOSSES

| Scientific Name | Common Name | Status |
|---|----------------------------|--------|
| <i>Aloina aloides</i> var. <i>ambigua</i> | | ns |
| <i>Barbula acuta</i> | | ns |
| <i>Barbula nicholsonii</i> | | ns |
| <i>Brachythecium appleyardiae</i> | | nt, P |
| <i>Bryum canariense</i> | | ns |
| <i>Bryum creberimum</i> | | ns |
| <i>Bryum donianum</i> | | ns |
| <i>Bryum dunense</i> | | ns |
| <i>Bryum gemmiparum</i> | | EN |
| <i>Bryum intermedium</i> | | ns |
| <i>Bryum pseudotriquetrum</i> var. <i>bimum</i> | | ns |
| <i>Bryum tenuisetum</i> | | ns |
| <i>Campylium calcareum</i> | | ns |
| <i>Campylopus pyriformis</i> var. <i>azoricus</i> | | ns |
| <i>Campylopus subulatus</i> | | ns |
| <i>Ditrichum plumbicola</i> | | nt, P |
| <i>Drepanocladus vernicosus</i> | Slender Green Feather-moss | P, LP |

MOSSES

| Scientific Name | Common Name | Status |
|---|-------------|--------|
| <i>Eurhynchium meridionale</i> | | VU |
| <i>Eurhynchium schleicheri</i> | | ns |
| <i>Fissidens monguilloni</i> | | nt |
| <i>Fissidens rivularis</i> | | ns |
| <i>Funaria muhlenbergii</i> | | ns |
| <i>Funaria pulchella</i> | | nt |
| <i>Grimmia laevigata</i> | | ns |
| <i>Grimmia orbicularis</i> | | ns |
| <i>Gymnostomum calcareum</i> | | ns |
| <i>Gymnostomum viridulum</i> | | ns |
| <i>Habrodon perpusillus</i> | | EN |
| <i>Herzogiella seligeri</i> | | ns |
| <i>Isothecium striatum</i> | | ns |
| <i>Leptobarbula berica</i> | | ns |
| <i>Leptodon smithii</i> | | ns |
| <i>Leucobryum juniperoideum</i> | | ns |
| <i>Orthotrichum sprucei</i> | | ns, P |
| <i>Oxystegus hibernicus</i> | | ns |
| <i>Plagiothecium ruthei</i> | | ns |
| <i>Platydictya confervoides</i> | | ns |
| <i>Platygyrium repens</i> | | ns |
| <i>Pleurochaete squarrosa</i> | | ns |
| <i>Pohlia annotina</i> | | ns |
| <i>Pottia bryoides</i> | | ns |
| <i>Pottia commutata</i> | | ns |
| <i>Pterygoneurum ovatum</i> | | ns |
| <i>Pylaisia polyantha</i> | | ns |
| <i>Racomitrium elongatum</i> | | ns |
| <i>Rhynchostegiella curviseta</i> | | ns |
| <i>Rhynchostegium lusitanicum</i> | | ns |
| <i>Rhytidium rugosum</i> | | ns |
| <i>Schistostega pennata</i> | | ns |
| <i>Scorpiurium circinatum</i> | | ns |
| <i>Seligeria donniana</i> | | ns |
| <i>Seligeria pusilla</i> | | ns |
| <i>Sphagnum recurvum</i> var. <i>amblyphyllum</i> | | ns |
| <i>Sphagnum recurvum</i> var. <i>tenue</i> | | ns |
| <i>Sphagnum subsecundum</i> | | ns |
| <i>Thuidium recognitum</i> | | ns |
| <i>Tortella inflexa</i> | | ns |
| <i>Tortula subulata</i> var. <i>graeffii</i> | | ns |
| <i>Weissia controversa</i> var. <i>densifolia</i> | | ns |
| <i>Weissia levieri</i> | | VU |
| <i>Weissia microstoma</i> var. <i>brachycarpa</i> | | ns |
| <i>Weissia tortilis</i> | | VU |

Key to Statuses

IUCN threat categories (Threatened)

EN - Endangered

VU - Vulnerable

IUCN threat categories (Lower Risk)

nt - near threatened

ns - nationally scarce

Other categories

LP - Legally protected by Wildlife and Countryside Act (1981)

P - Biodiversity action plan species

LIVERWORTS

| Scientific Name | Common Name | Status |
|-----------------------------------|-------------|-----------|
| <i>Anastrophyllum saxicola</i> | | nt |
| <i>Cephaloziella stellulifera</i> | | ns |
| <i>Cololejeunea minutissima</i> | | ns |
| <i>Cololejeunea rossettiana</i> | | ns |
| <i>Cryptothallus mirabilis</i> | | ns |
| <i>Dumontiera hirsuta</i> | | VU |
| <i>Jamesoniella autumnalis</i> | | ns |
| <i>Jubula hutchinsiae</i> | | ns |
| <i>Jungermannia subelliptica</i> | | ns |
| <i>Kurzia sylvatica</i> | | ns |
| <i>Odontoschisma elongatum</i> | | ns |
| <i>Pallavicinia lyellii</i> | | VU, P |
| <i>Petalophyllum ralfsii</i> | Petalwort | VU, P, LP |
| <i>Porella obtusata</i> | | ns |
| <i>Porella pinnata</i> | | ns |

Key to Statuses

IUCN threat categories (Threatened)

 VU - Vulnerable

IUCN threat categories (Lower Risk)

 nt - near threatened

 ns - nationally scarce

Other categories

 LP - Legally protected by Wildlife and Countryside Act (1981)

 P - Biodiversity action plan species

STONEWORTS

| Scientific Name | Common Name | Status | Codes |
|----------------------------|------------------------|--------|-------|
| <i>Chara contraria</i> | Opposite Stonewort | none | - |
| <i>Chara globularis</i> | Fragile Stonewort | none | - |
| <i>Chara pedunculata</i> | Hedgehog stonewort | none | - |
| <i>Nitella flexilis</i> | Smooth Stonewort | none | - |
| <i>Nitella mucronata</i> | Pointed stonewort | none | - |
| <i>Nitella opaca</i> | Dark Stonewort | none | - |
| <i>Nitella translucens</i> | Translucent stonewort | none | Ex |
| <i>Tolypella glomerata</i> | Clustered stonewort | none | Ex |
| <i>Tolypella intricata</i> | Tassel stonewort | P | Ex |
| <i>Tolypella prolifera</i> | Great tassel stonewort | P | - |

Key to Statuses

P - Biodiversity action plan species

none - No national/international designation

Key to codes

Ex - Species believed to be extinct in the county.

FUNGI

| Scientific Name | Common Name | Status | Codes |
|--------------------------------------|----------------------|----------|------------------|
| <i>Agaricus subperonatus</i> | | r | |
| <i>Amanita aspera</i> | | C | A, BW |
| <i>Amanita echinocephala</i> | | VU, 2 | A, O, Ca |
| <i>Amanita lividopallescens</i> | | 2 | BW |
| <i>Battarraea phalloides</i> | Sandy Stilt Puffball | EN, D, P | S, Ac |
| <i>Boletus aestivalis</i> | | r | |
| <i>Boletus appendiculatus</i> | | C | S, A, BW |
| <i>Boletus impolitus</i> | | B | S, A, BW |
| <i>Boletus lignicola</i> | | VU, 2, B | |
| <i>Boletus purpureus</i> | | CE, 2 | S, A, BW, MW |
| <i>Boletus queletii</i> | | B | A, BW |
| <i>Boletus redicans</i> | | C | A, BW |
| <i>Boletus satanus</i> | Satan's Bolete | 3, A | A, BW, Ca |
| <i>Buglossoporus pulvinus</i> | | EN, B, P | A, BW, Ca, Ne |
| <i>Camarophyllopsis micacea</i> | | 3 | O, Ca |
| <i>Cantharellus cinereus</i> | | 2, C | BW |
| <i>Cantharellus ferruginascens</i> | | 2 | S, A, MW, Ca |
| <i>Chamaemyces fracidus</i> | | B | Sp, A, O |
| <i>Chroogomphus corallinus</i> | | 3 | CW |
| <i>Clavaria zollingeri</i> | | VU | |
| <i>Clavulinopsis umbrinella</i> | | 2 | O |
| <i>Collybia acervata</i> | | 2 | S, A, CW, E |
| <i>Cordyceps capitata</i> | | C | A, CW |
| <i>Cortinarius amarescens</i> | | DD | |
| <i>Cortinarius balteatocumatilis</i> | | DD, 2 | A, BW |
| <i>Cortinarius bulliardii</i> | | B | A, BW |
| <i>Cortinarius caerulescens</i> | | DD, 2 | A, BW |
| <i>Cortinarius caesiocyaneus</i> | | DD | |
| <i>Cortinarius caroviolaceus</i> | | DD, 2 | A, BW, Ca |
| <i>Cortinarius cinnamomeoluteus</i> | | r | |
| <i>Cortinarius hircinus</i> | | DD | |
| <i>Cortinarius infractus</i> | | 2 | A, BW, CW |
| <i>Cortinarius multiformis</i> | | 2 | A, BW |
| <i>Cortinarius olidus</i> | | DD, 2 | A, BW, CW |
| <i>Cortinarius parvus</i> | | DD, 2 | BW |
| <i>Cortinarius rufo-albus</i> | | DD, 2 | BW |
| <i>Cortinarius rufo-olivaceus</i> | | DD, 2 | BW, Ca |
| <i>Cortinarius sodagnius</i> | | 2, C | A, BW, Ca |
| <i>Cortinarius splendens</i> | | DD, 2 | A, BW, Ca |
| <i>Cortinarius subtortus</i> | | DD, 2 | A, BW, Ac |
| <i>Cortinarius tofaceus</i> | | r | |
| <i>Cortinarius varius</i> | | 2 | A, CW, Ca |
| <i>Creolophus cirrhatus</i> | | VU, 2 | BW |
| <i>Cystolepiota adulterina</i> | | DD | |
| <i>Dichomitus campestris</i> | | C | A, BW, E |
| <i>Diderma trevelyanii</i> | | VU | |
| <i>Entoloma prunuloides</i> | | C | A, W |
| <i>Galerina stylifera</i> | | 2 | S, A, CW, E |
| <i>Ganoderma resinaceum</i> | | C | Y, BW, E |
| <i>Gastrum fornicatum</i> | Arched Earthstar | VU, 2, A | A, BW |
| <i>Gastrum pectinatum</i> | Beaked Earthstar | C | A, BW, CW |
| <i>Gastrum quadrifidum</i> | Four-Rayed Earthstar | VU, 2, C | A, CW |
| <i>Gastrum rufescens</i> | Rosy Earthstar | C | S, A, BW, CW |
| <i>Gastrum schmidelii</i> | Dwarf Earthstar | B | Co |
| <i>Gastrum striatum</i> | Striated Earthstar | C | S, A, BW, MW, CW |
| <i>Gastrum triplex</i> | Collared Earthstar | D | S, A, BW |
| <i>Geoglossum fallax</i> | | C | A, O |
| <i>Geoglossum glutinosum</i> | | C | A, O |
| <i>Gomphidius maculatus</i> | | C | S, A, CW |
| <i>Grifola frondosa</i> | | C | A, BW, E |

FUNGI

| Scientific Name | Common Name | Status | Codes |
|------------------------------------|------------------|-------------|--------------------|
| <i>Hericium erinaceum</i> | | EN, 2, B, P | S, A, BW, E |
| <i>Hydnellum scrobiculatum</i> | | VU, P | |
| <i>Hydnellum spongiosipes</i> | | VU, P | |
| <i>Hygrocybe calyptroformis</i> | | VU, 2, P | S, A, O, Ac, Ne |
| <i>Hygrocybe cantharellus</i> | | C | A, O, Ac |
| <i>Hygrocybe fornictata</i> | | C | A, W, O |
| <i>Hygrocybe insipida</i> | | C | S, A, O, Ac, Ne |
| <i>Hygrocybe intermedia</i> | | C | S, A, O, Ac, Ne |
| <i>Hygrocybe lacmus</i> | | B | S, A, O, Ac |
| <i>Hygrocybe nitrata</i> | | C | S, A, O, Ac |
| <i>Hygrocybe ovina</i> | | B | S, A, O, Ac |
| <i>Hygrocybe punicea</i> | Crimson Wax-cap | C | A, O, Ac, Ne |
| <i>Hygrocybe quieta</i> | | C | S, A, O, Ca, Ne |
| <i>Hygrocybe subgobispora</i> | | C | S, A, W, O |
| <i>Hygrocybe unguinosa</i> | | C | A, W, O |
| <i>Hygrophorus arbustivus</i> | | DD, 2, C | A, BW |
| <i>Hygrophorus hypothejus</i> | Herald of Winter | C | A, CW |
| <i>Hygrophorus mesotephrus</i> | | B | A, BW |
| <i>Inocybe godeyi</i> | | C | A, BW, Ca |
| <i>Inonotus hispidus</i> | | C | Y, BW, E |
| <i>Ischnoderma resinosum</i> | | C | A, W, BW, CW, E |
| <i>Lactarius aspideus</i> | | C | S, A, BW, Ca |
| <i>Lactarius controversus</i> | | C | S, A, BW |
| <i>Lactarius hemicyaneus</i> | | DD, 2 | A, CW |
| <i>Lactarius mairei</i> | | DD, 2, B | S, A, BW, MW |
| <i>Lepiota fuscovinacea</i> | | C | S, A, MW |
| <i>Lepiota grangei</i> | | C | A, BW |
| <i>Lepiota ignivolvata</i> | | 3 | A, BW, CW |
| <i>Lepiota pseudofelina</i> | | C | BW |
| <i>Lepiota pseudohelvola</i> | | r | |
| <i>Lepiota pulverulenta</i> | | 3 | A, MW |
| <i>Lepiota xanthophylla</i> | | 3 | A, MW, Ca |
| <i>Leptonia dichroa</i> | | 2 | S, A, BW, E, e, Ca |
| <i>Leucoagaricus badhamii</i> | | 2 | BW, CW |
| <i>Leucoagaricus sublittoralis</i> | | 3 | W, Ac |
| <i>Limacella glioderma</i> | | 3, C | S, A, BW, CW |
| <i>Limacella guttata</i> | | C | S, A, BW, CW |
| <i>Melanophyllum eyrei</i> | | 3, B | S, A, BW, Ca |
| <i>Microglossum viride</i> | | C | A, BW |
| <i>Mutinus caninus</i> | | C | S, A, W |
| <i>Mycena rosella</i> | | DD | |
| <i>Mycena rubromarginata</i> | | 2 | A, CW |
| <i>Naucoria scolecina</i> | | 2 | A, BW |
| <i>Otidea alutacea</i> | | r | |
| <i>Peziza proteana</i> | | r | |
| <i>Pholiota destruens</i> | | VU | |
| <i>Plectania melastoma</i> | | 3 | BW, Ca |
| <i>Pluteus atromarginatus</i> | | r | |
| <i>Pluteus aurantiorugosus</i> | | C | BW, E |
| <i>Pluteus pellitis</i> | | 2 | BW, E |
| <i>Porpoloma metapodium</i> | | DD, C | |
| <i>Psathyrella polycystis</i> | | r | |
| <i>Pseudocraterellus sinuosus</i> | | 2 | A, BW |
| <i>Pulcherricum caeruleum</i> | | C | Y, BW, E |
| <i>Rhodotus palmatus</i> | | B | A, W, BW, E |
| <i>Russula alnetorum</i> | | DD | |
| <i>Russula badia</i> | | DD | |
| <i>Russula carminea</i> | | DD | |
| <i>Russula carminipes</i> | | DD, 2 | S, A, BW |
| <i>Russula decipiens</i> | | DD, 2 | S, A, BW |

FUNGI

| Scientific Name | Common Name | Status | Codes |
|------------------------------------|-----------------------|----------|-------------|
| <i>Russula lilacea</i> | | DD | |
| <i>Russula lundellii</i> | | 2 | S, A, BW |
| <i>Russula solaris</i> | | DD, 2 | S, A, BW |
| <i>Sarcodon scabrosus</i> | | EN, P | |
| <i>Sclerophora peronella</i> | | ns | |
| <i>Sowerbyella radiculata</i> | | 3 | A, CW |
| <i>Spathularia flava</i> | | 2, B | CW |
| <i>Spongipellis delectans</i> | | 3 | |
| <i>Spongipellis pachydon</i> | | 3 | S, A, BW, E |
| <i>Thuemeniidium atropurpureum</i> | | 3, B | A, Ac |
| <i>Trichoglossum hirsutum</i> | | C | S, A, O, Ac |
| <i>Tricholoma atrosquamosum</i> | | DD, 2 | A, BW, CW |
| <i>Tricholoma aurantium</i> | | DD, 2, B | A, CW |
| <i>Tricholoma sejunctum</i> | | DD, 2, C | A, BW, CW |
| <i>Tulostoma brumale</i> | Winter Stalk Puffball | C | A, Co |
| <i>Tyromyces fissilis</i> | | C | BW, E |
| <i>Verpa conica</i> | | C | Sp, BW, Ca |
| <i>Volvariella bombycinia</i> | | C | S, A, BW, E |
| <i>Volvariella caesiotincta</i> | | C | S, A, BW, E |
| <i>Volvariella surrecta</i> | | 3 | S, A, E |
| <i>Volvariella taylori</i> | | r | |

KEY to statuses:

UK Red List/IUCN threat categories (Threatened):

- CE - Critically Endangered
- EN - Endangered
- VU - Vulnerable
- DD - Data Deficient

Old UK Red Data List categories:

- 2 (Vulnerable.) Species likely to become endangered in the near future if the causal agents of their decline are not removed or reduced.
- 3 (Rare.) Species with small populations or few sites which are not at present threatened but may become at risk without adequate protection.

European Red Data List Categories:

- A Widespread losses, rapidly declining populations, many national extinctions, high-level concern expressed.
- B Widespread losses, evidence of steady decline, some national extinctions, medium-level concern.
- C Widespread, but scattered, populations, fewer extinctions, lower-level concern.
- D Local losses, some extinctions but mainly at edge of geographical range.

Other categories

- P - Biodiversity action plan species
- r - species very rare or newly recorded in the county.

KEY to Ecological Codes:

Time of year found:

- Sp Spring.
- S Summer.
- A Autumn.
- W Winter.
- Y Throughout the year.

Habitat found in:

- O Open areas.
- W Woodland.
- Co Coastal sand dunes.
- BW Broadleaved woodland.
- CW Conifer woodland.
- MW Mixed woodland.
- E Epiphytic
- e Non-epiphytic
- Ca Calcareous soil.
- Ac Acidic soil.
- Ne Neutral soil

LICHENS

| Scientific Name | Common Name | Status | Codes |
|-------------------------------------|---------------------------|----------|-------|
| <i>Acarospora glaucocarpa</i> | | ns | r |
| <i>Acarospora impressula</i> | | ns | r |
| <i>Agonimia octospora</i> | | ns | r |
| <i>Arthonia arthonioides</i> | | ns | u |
| <i>Arthonia astroidestra</i> | | nt | r |
| <i>Arthonia galactites</i> | | EX | u |
| <i>Arthonia vinosa</i> | | none | RIEC |
| <i>Arthopyrenia cerasi</i> | | ns | r |
| <i>Arthopyrenia cinereopruinosa</i> | | ns | RIEC |
| <i>Arthothelium ruanum</i> | | ns | r |
| <i>Aspicilia grisea</i> | | ns | r |
| <i>Bacidia auerswaldii</i> | | EX | u, ex |
| <i>Bacidia circumspecta</i> | | ns | r |
| <i>Bacidia cuprea</i> | | ns | u |
| <i>Bacidia friesiana</i> | | ns | r |
| <i>Bacidia incompta</i> | | VU, P | r |
| <i>Bactrospora corticola</i> | | ns | r |
| <i>Belonia calcicola</i> | | P | ex |
| <i>Biatora epixanthoides</i> | | ns | r |
| <i>Biatora epixanthoidiza</i> | | ns | u |
| <i>Biatora sphaeroides</i> | | none | RIEC |
| <i>Biatora vernalis</i> | | ns | u, a |
| <i>Biatorella fossarum</i> | | EN | r |
| <i>Biatorella monasteriensis</i> | | EN, P | r |
| <i>Biatoridium delitescens</i> | | VU | r |
| <i>Buellia saxorum</i> | | nt | a |
| <i>Calicum lenticulare</i> | | ns | r |
| <i>Calicum corynellum</i> | | CE, P | u |
| <i>Calicum quercinum</i> | | EX | u |
| <i>Caloplaca cerinella</i> | | ns | r |
| <i>Caloplaca chalybaea</i> | | ns | r |
| <i>Caloplaca flavorubescens</i> | | EN | u, a |
| <i>Caloplaca luteoalba</i> | Orange-fruited Elm-lichen | VU, P LP | u, ex |
| <i>Caloplaca ochracea</i> | | ns | r |
| <i>Catillaria atropurpurea</i> | | none | RIEC |
| <i>Celothelium ischnobelum</i> | | ns | r |
| <i>Cetraria pinastri</i> | | nt | u, ex |
| <i>Chaenothecopsis pusiola</i> | | ns | r |
| <i>Chiodecton myrticola</i> | | nt | r |
| <i>Cladonia convoluta</i> | | nt | u |
| <i>Clauzadea metzleri</i> | | VU | r |
| <i>Collema ceraniscum</i> | | ns | r |
| <i>Collema fragile</i> | | VU | r |
| <i>Collema fragrans</i> | | VU | u, ex |
| <i>Collema fuscovirens</i> | | ns | r |
| <i>Collema multipartitum</i> | | ns | r |
| <i>Collema polycarpon</i> | | ns | ex |
| <i>Cryptolechia carneolutea</i> | | VU | r |
| <i>Cyphelium tigillare</i> | | nt | u, a |
| <i>Dimerella lutea</i> | | none | RIEC |
| <i>Enterographa crassa</i> | | none | RIEC |
| <i>Enterographa hutchinsiae</i> | | ns | r |
| <i>Enterographa sorediata</i> | | nt, P | u |
| <i>Epilichen scabrosus</i> | | ns | r |
| <i>Farnoldia jurana</i> | | ns | r |
| <i>Fellhanera bouteillei</i> | | ns | r |
| <i>Fulgensia fulgens</i> | | nt | r |
| <i>Gomphillus calycioides</i> | | ns | u, a |
| <i>Graphina ruiziana</i> | | ns | r |

LICHENS

| Scientific Name | Common Name | Status | Codes |
|---|-----------------------|----------|---------|
| <i>Gyalecta flotowii</i> | | ns | r |
| <i>Gyalideopsis muscicola</i> | | ns | r |
| <i>Haematomma elatinum</i> | | none | u, RIEC |
| <i>Heterodermia leucomelos</i> | Ciliate Strap-lichen | EN, P LP | u, ex |
| <i>Heterodermia obscurata</i> | | ns | r |
| <i>Lecanactis amylacea</i> | | VU | r |
| <i>Lecanactis hemisphaerica</i> | Churchyard Lecanactis | nt, P LP | r |
| <i>Lecanactis lyncea</i> | | none | RIEC |
| <i>Lecanactis premnea</i> | | none | RIEC |
| <i>Lecania chlorotiza</i> | | nt | r |
| <i>Lecania cyrtellina</i> | | ns | r |
| <i>Lecania fuscella</i> | | EX | r |
| <i>Lecanora aitema</i> | | ns | r |
| <i>Lecanora caesiosora</i> | | ns | r |
| <i>Lecanora praepostera</i> | | ns | r |
| <i>Lecanora quercicola</i> | | ns | r |
| <i>Lecanora subaurea</i> | | ns | r |
| <i>Lecanora subcarnea</i> | | ns | r |
| <i>Lecanora sublivescens</i> | | ns | u |
| <i>Lecidea carrollii</i> | | ns | r |
| <i>Lecidea cinnabarina</i> | | none | u, RIEC |
| <i>Lecidea doliformis</i> | | ns | r |
| <i>Lecidea erythrophaea</i> | | VU | r |
| <i>Lecidea hypopta</i> | | ns | r |
| <i>Lecidea limosa</i> | | ns | u |
| <i>Lecidella carpathica</i> | | ns | r |
| <i>Lemmopsis arnoldiana</i> | | nt | r |
| <i>Lempholemma botryosum</i> | | ns | r |
| <i>Lepraria nivalis</i> | | ns | r |
| <i>Leptogium britannicum</i> | | ns | r |
| <i>Leptogium corniculatum</i> | | nt | u, ex |
| <i>Leptogium diffractum</i> | | nt | r |
| <i>Leptogium massiliense</i> | | nt | r |
| <i>Leptogium plicatile</i> | | ns | r |
| <i>Lobaria amplissima</i> | | ns | RIEC |
| <i>Lobaria pulmonaria</i> | Lungwort | none | RIEC |
| <i>Lobaria scrobiculata</i> | | none | RIEC |
| <i>Lobaria virens</i> | | none | RIEC |
| <i>Massalongia carnosa</i> | | ns | u |
| <i>Megalospora tuberculosa</i> | | ns | r |
| <i>Megaspore verrucosa</i> | | ns | u, ex |
| <i>Melaspilea ochrothalamia</i> | | ns | r |
| <i>Micarea adnata</i> | | ns | r |
| <i>Micarea lignaria</i> var. <i>endoleuca</i> | | ns | u |
| <i>Micarea lutulata</i> | | ns | r |
| <i>Micarea subnigrata</i> | | ns | r |
| <i>Moelleropsis nebulosa</i> | | ns | r |
| <i>Nephroma laevigatum</i> | | none | RIEC |
| <i>Ochrolechia pallescens</i> | | ns | u, a |
| <i>Opegrapha fumosa</i> | | P | r |
| <i>Opegrapha lithyrga</i> | | ns | r |
| <i>Opegrapha multipuncta</i> | | ns | r |
| <i>Opegrapha prosodea</i> | | ns | r |
| <i>Opegrapha saxigena</i> | | ns | r |
| <i>Pachyphiale carneola</i> | | none | RIEC |
| <i>Pannaria conoplea</i> | | none | RIEC |
| <i>Pannaria mediterranea</i> | | ns | r |
| <i>Parmelia arnoldii</i> | | ns | u |
| <i>Parmelia crinita</i> | | none | RIEC |
| <i>Parmelia endochlora</i> | | ns | r |

LICHENS

| Scientific Name | Common Name | Status | Codes |
|------------------------------------|--------------------|----------|-------|
| <i>Parmelia quercina</i> | | VU | r |
| <i>Parmelia reddenda</i> | | none | RIEC |
| <i>Parmelia tinctina</i> | | VU | u |
| <i>Parmeliella testacea</i> | | ns | r |
| <i>Parmeliella triptophylla</i> | | none | RIEC |
| <i>Peltigera canina</i> | | ns | r |
| <i>Peltigera collina</i> | | none | RIEC |
| <i>Peltigera horizontalis</i> | | none | RIEC |
| <i>Peltigera polydactyla</i> | | ns | u |
| <i>Pertusaria coronata</i> | | ns | u |
| <i>Pertusaria pseudocorallina</i> | | ns | r |
| <i>Phlyctis agelaea</i> | | ns | r |
| <i>Phyllopsora rosei</i> | | ns | r |
| <i>Physcia clementei</i> | | ns | r |
| <i>Physcia stellaris</i> | | ns | r |
| <i>Placiopsis cartilaginea</i> | | ns | r |
| <i>Placynthium asperellum</i> | | nt | u |
| <i>Placynthium subradiatum</i> | | ns | r |
| <i>Porina borri</i> | | ns | u |
| <i>Porina leptalea</i> | | none | RIEC |
| <i>Porpidia glaucophaea</i> | | ns | r |
| <i>Porpidia soredizodes</i> | | ns | r |
| <i>Pseudocyphellaria crocata</i> | | ns | r |
| <i>Psilolechia clavulifera</i> | | ns | r |
| <i>Psilolechia leprosa</i> | | ns | r |
| <i>Psora decipiens</i> | | ns | r |
| <i>Psorotrichia schaeereri</i> | | ns | r |
| <i>Ptychographa xylographoides</i> | | ns | r |
| <i>Pyrenula chlorospila</i> | | none | RIEC |
| <i>Pyrenula nitidella</i> | | EX | u |
| <i>Ramonia chrysophaea</i> | | ns | r |
| <i>Rhizocarpon alpicola</i> | | ns | r |
| <i>Rhizocarpon distinctum</i> | | ns | r |
| <i>Rhizocarpon umbilicatum</i> | | ns | r |
| <i>Rinodina aspersa</i> | | nt | r |
| <i>Rinodina griseosoralifera</i> | | ns | r |
| <i>Rinodina immersa</i> | | ns | r |
| <i>Rinodina isidiooides</i> | | ns | RIEC |
| <i>Rinodina oxydata</i> | | ns | r |
| <i>Roccella phycopsis</i> | | ns | a |
| <i>Schaereria fuscocinerea</i> | | ns | r |
| <i>Schismatomma cretaceum</i> | | ns | r |
| <i>Schismatomma graphidioides</i> | | VU, P | r |
| <i>Squamaria lentigera</i> | Scaly Breck-lichen | EN, P LP | u, ex |
| <i>Staurothele caesia</i> | | ns | r |
| <i>Staurothele rugulosa</i> | | nt | r |
| <i>Stenocybe septata</i> | | none | RIEC |
| <i>Sticta canariensis</i> | | VU | u |
| <i>Sticta limbata</i> | | none | RIEC |
| <i>Sticta sylvatica</i> | | none | RIEC |
| <i>Strangospora moriformis</i> | | ns | u, ex |
| <i>Strigula taylorii</i> | | ns | r |
| <i>Synalissa symphorea</i> | | VU | r |
| <i>Teloschistes flavicans</i> | Golden Hair-lichen | VU, LP | r |
| <i>Thelidium microcarpum</i> | | ns | r |
| <i>Thelidium minutulum</i> | | ns | r |
| <i>Thelidium papulare</i> | | ns | r |
| <i>Thelopsis rubella</i> | | none | RIEC |
| <i>Thelotrema lepadinum</i> | | none | RIEC |
| <i>Thrombium epigaeum</i> | | ns | r |

LICHENS

| Scientific Name | Common Name | Status | Codes |
|--------------------------------|-------------|--------|-------|
| <i>Tomasellia lactea</i> | | ns | r |
| <i>Toninia cervina</i> | | ns | u |
| <i>Toninia lobulata</i> | | ns | r |
| <i>Toninia mesoidea</i> | | ns | r |
| <i>Tylothallia biformigera</i> | | ns | r |
| <i>Usnea fulvoreagens</i> | | ns | u |
| <i>Usnea subscabrosa</i> | | VU | u |
| <i>Wadeana dendrographa</i> | | ns | r |
| <i>Wadeana minuta</i> | | nt | u |
| <i>Xanthoria ulophylloides</i> | | ns | r |
| <i>Zamenhofia coralloidea</i> | | ns | r |

Key to Statuses

IUCN threat categories (Threatened)

- EX - Species believed extinct
- CR - Critically Endangered
- EN - Endangered
- VU - Vulnerable

IUCN threat categories (Lower Risk)

- nt - near threatened
- ns - nationally scarce

NOTE: This notable list was prepared using a list of Threatened and Lower Risk species supplied by JNCC. The latter list is described as being provisional. There is as yet no published Red Data Book for this group. The national status shown is therefore provisional in all cases.

Other categories

- LP - Legally protected by Wildlife and Countryside Act (1981)
- P - Biodiversity action plan species
- None - Species with none of the above designations.

Key to Codes

RIEC - Species used to calculate the Revised Index of Ecological Continuity

The above list was produced using a checklist kindly supplied by Prof. Francis Rose from a lichen atlas of the county which is as yet unpublished. The remaining items in the Codes column reflect Prof Rose's comments on the status of his records.

- r - species record reliably confirmed
- u - species believed to be present but record unreliable or unconfirmed at present
- a - species not recorded in the modern county of Somerset (records from Bath and North East Somerset)
- ex - species believed extinct

NON-MARINE MOLLUSCS

| Scientific Name | Common Name | Status |
|---------------------------------|------------------------------|--------|
| <i>Abida secale</i> | Large Chrysalis Snail | Nb |
| <i>Acicula fusca</i> | Point Snail | Nb |
| <i>Anisus vorticulus</i> | a Ram's-horn Snail | P |
| <i>Ena montana</i> | Mountain Bulin | RDB3 |
| <i>Gyraulus laevis</i> | Smooth Ram's-horn | Nb |
| <i>Helix pomatia</i> | Roman Snail | Nb |
| <i>Macrogaster rolphii</i> | Rolph's Door Snail | Nb |
| <i>Phenacolimax major</i> | Greater Pellucid Glass Snail | Na |
| <i>Pisidium moitessierianum</i> | a pea mussel | Nb |
| <i>Pisidium pseudosphaerium</i> | an orb mussel | RDB3 |
| <i>Pisidium pulchellum</i> | a pea mussel | Nb |

NON-MARINE MOLLUSCS

| Scientific Name | Common Name | Status |
|---------------------------------|---------------------------|--------|
| <i>Pseudanodonta complanata</i> | Compressed River Mussel | Nb P |
| <i>Segmentina nitida</i> | Shining Ram's-horn | RDB1 P |
| <i>Valvata macrostoma</i> | Large-mouthed Valve Snail | RDB2 |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB1 - Endangered

RDB2 - Vulnerable

RDB3 - Rare

Nationally Scarce

Na - Nationally scarce A (recorded in 16-30 10 km squares nationally)

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

Other categories

P - Biodiversity action plan species

DRAGONFLIES

| Scientific Name | Common Name | Status | Codes |
|-------------------------------|------------------------|----------------|-------|
| <i>Aeshna juncea</i> | Common Hawker | locally common | A |
| <i>Aeshna mixta</i> | Migrant Hawker | local | A |
| <i>Brachytron pratense</i> | Hairy Dragonfly | Nb | S |
| <i>Calopteryx splendens</i> | Banded Demoiselle | local | A |
| <i>Calopteryx virgo</i> | Beautiful Demoiselle | local | A |
| <i>Ceriagrion tenellum</i> | Small Red Damselfly | Nb | S |
| <i>Coenagrion pulchellum</i> | Variable Damselfly | Nb | S |
| <i>Cordulia aenea</i> | Downy Emerald | Nb | S |
| <i>Erythromma najas</i> | Red-eyed Damselfly | local | A |
| <i>Orthetrum cancellatum</i> | Black-tailed Skimmer | local | A |
| <i>Orthetrum coerulescens</i> | Keeled Skimmer | local | A |
| <i>Platycnemis pennipes</i> | White-legged Damselfly | Nb | S |
| <i>Sympetrum sanguineum</i> | Ruddy Darter | Nb | S |

Key to Statuses

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

local - species has a local distribution in the county.

Key to Codes

S - Nationally scarce species

A - Species selected using the Somerset rarity formula

GRASSHOPPERS AND CRICKETS

| Scientific Name | Common Name | Status | Codes |
|--------------------------------|---------------------------|---------|-------|
| <i>Conocephalus discolor</i> | Long-winged Conehead | Na | S |
| <i>Gomphocerippus rufus</i> | Rufous Grasshopper | Nb | S |
| <i>Metrioptera brachyptera</i> | Bog Bush Cricket | Nb | S |
| <i>Metrioptera roeselii</i> | Roesel's Bush Cricket | Nb | S |
| <i>Omocestus rufipes</i> | Woodland Grasshopper | Nb | S |
| <i>Platycleis albopunctata</i> | Grey Bush Cricket | Nb | S |
| <i>Stenobothrus lineatus</i> | Stripe-Winged Grasshopper | local | A |
| <i>Stethophyma grossum</i> | Large Marsh Grasshopper | RDB2, P | R |

GRASSHOPPERS AND CRICKETS

| Scientific Name | Common Name | Status | Codes |
|-------------------------------|--------------------------|--------|-------|
| <i>Tetrix subulata</i> | Slender Ground Hopper | local | A |
| <i>Tettigonia viridissima</i> | Great Green Bush Cricket | local | A |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB2 - Vulnerable

Nationally Scarce

Na - Nationally scarce A (recorded in 16-30 10 km squares nationally)

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

Other categories

P - Biodiversity action plan species

local - species has a local distribution in the county.

Key to Codes

R - Nationally rare species

S - Nationally scarce species

A - Species selected using the Somerset rarity formula

BUTTERFLIES

| Scientific Name | Common Name | Status | Codes |
|---------------------------------|---------------------|-------------------|-------|
| Adonis Blue | Lysandra bellargus | Nb, P | S |
| Brown Argus | Aricia agestis | local | A |
| Brown Hairstreak | Thecla betulae | Nb | S |
| Chalk-hill Blue | Lysandra coridon | local | A |
| Dark Green Fritillary | Argynnis aglaja | local | A |
| Dingy Skipper | Erynnis tages | local | A |
| Duke of Burgundy Fritillary | Hamearis lucina | Nb | S |
| Essex Skipper | Thymelicus lineola | local | A |
| Glanville Fritillary | Melitaea cinxia | RDB3 | R |
| Grayling | Hipparchia semele | local | A |
| Green Hairstreak | Callophrys rubi | local | A |
| Grizzled Skipper | Pyrgus malvae | local | A |
| Heath Fritillary | Mellicta athalia | RDB2, P, LP | R |
| High Brown Fritillary | Argynnis adippe | RDB2, P, LP | R |
| Marsh Fritillary | Eurodryas aurinia | RDB2, P, Annex II | R |
| Pearl Bordered Fritillary | Boloria euphrosyne | Nb, local, P | S |
| Purple Emperor | Apatura iris | Nb | S |
| Silver-washed Fritillary | Argynnis paphia | local | A |
| Small Blue | Cupido minimus | local | A |
| Small Pearl-bordered Fritillary | Boloria selene | local | A |
| White Admiral | Ladoga camilla | local | A |
| White Letter Hairstreak | Strymonidia w-album | Nb | S |
| Wood White | Leptidea sinapis | Nb | S |

BUTTERFLIES

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB2 - Vulnerable

RDB3 - Rare

Nationally Scarce

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

Other categories

LP - Legally protected by Wildlife and Countryside Act (1981)

P - Biodiversity action plan species

Annex II - Species protected under Annex II of the EU habitats directive (1992)

local - species has a local distribution in the county.

Key to Codes

R - Nationally rare species

S - Nationally scarce species

A - Species selected using the Somerset rarity formula

MOTHS

Macro-moths

| Scientific Name | Common Name | Status |
|--------------------------|--|---------|
| Alder Kitten | <i>Furcula bicuspis</i> | Nb |
| Angle-striped Sallow | <i>Enargia paleacea</i> | Nb |
| Argent and Sable | <i>Rheumaptera hastata</i> | Nb, P |
| Argent and Sable | <i>Rheumaptera hastata hastata</i> | Nb |
| Barred Carpet | <i>Perizoma taeniata</i> | Na |
| Barred Tooth-striped | <i>Trichopteryx polycommata</i> | Na, P |
| Bilberry Pug | <i>Chloroclystis debiliata</i> | Nb |
| Bleached Pug | <i>Eupithecia expallidata</i> | Nb |
| Blomer's Rivulet | <i>Discoloxia blomeri</i> | Nb |
| Brindled Green | <i>Dryobotodes eremita</i> | Nr |
| Brindled Ochre | <i>Dasyphilia templi</i> | Nb |
| Broad-bordered Bee Hawk | <i>Hemaris fuciformis</i> | Nb |
| Buttoned Snout | <i>Hypena rostralis</i> | Nb, P |
| Campanula Pug | <i>Eupithecia denotata</i> | Na |
| Chalk Carpet | <i>Scotopteryx bipunctaria cretata</i> | Nb, P |
| Cistus Forester | <i>Adscita geryon</i> | Nb |
| Cloaked Carpet | <i>Euphyia biangulata</i> | Nb |
| Common Fan-foot | <i>Pechipogon strigilata</i> | Na, P |
| Cream-bordered Green Pea | <i>Earrias clorana</i> | Nb |
| Crescent Dart | <i>Agrotis trux lunigera</i> | Nb |
| Crescent Striped | <i>Apamea oblonga</i> | Nb |
| Currant Clearwing | <i>Synanthedon tipuliformis</i> | Nb |
| Dentated Pug | <i>Anticollix sparsata</i> | Na |
| Devon Carpet | <i>Lampropteryx otregiata</i> | Nb |
| Dotted Carpet | <i>Alcis jubata</i> | Nb |
| Dotted Chestnut | <i>Conistra rubiginea</i> | Nb |
| Dotted-border Wave | <i>Idaea sylvestraria</i> | Nb |
| Double Line | <i>Mythimna turca</i> | Nb, P |
| Drab Looper | <i>Minoia murinata</i> | Nb, P |
| Forester | <i>Adscita statices</i> | Nb |
| Four-spotted | <i>Tyta luctuosa</i> | RDB3, P |
| Goat Moth | <i>Cossus cossus</i> | Nb |
| Goosefoot Pug | <i>Eupithecia sinuosaria</i> | RDBK |
| Grass Eggar | <i>Lasiocampa trifolii</i> | Na |

MOTHS

Macro-moths

| Scientific Name | Common Name | Status |
|--------------------------|---|---------|
| Grass Wave | <i>Perconia strigillaria</i> | Nb |
| Great Brocade | <i>Eurois occulta</i> | Na |
| Great Oak Beauty | <i>Boarmia roboraria</i> | Nb |
| Hoary Footman | <i>Eilema caniola</i> | Nb |
| Hornet Moth | <i>Sesia apiformis</i> | Nb |
| Horse Chestnut | <i>Pachynemria hippocastanaria</i> | Nb |
| Jersey Tiger | <i>Euplagia quadripunctaria</i> | Nb |
| Juniper Carpet | <i>Thera juniperata</i> | Nb |
| Kentish Glory | <i>Endromis versicolora</i> | Na |
| L-album Wainscot | <i>Mythimna l-album</i> | Nb |
| Lace Border | <i>Scopula ornata</i> | Na |
| Large Thorn | <i>Ennomos autumnaria</i> | Nb |
| Lead-coloured Pug | <i>Eupithecia plumbeolata</i> | Nb |
| Light Feathered Rustic | <i>Agrotis cinerea</i> | Nb |
| Little Thorn | <i>Cephalis advenaria</i> | Nb |
| Lunar Yellow Underwing | <i>Noctua orbona</i> | Na, P |
| Marbled Clover | <i>Heliothis viriplaca</i> | RDB3 |
| Marbled Green | <i>Cryphia muralis</i> | Nb |
| Marbled Pug | <i>Eupithecia irriguata</i> | Nb |
| Mocha | <i>Cyclophora annulata</i> | Nb |
| Narrow-bordered Bee Hawk | <i>Hemaris tityus</i> | Na, P |
| Oak-tree Pug | <i>Eupithecia dodoneata</i> | Nb |
| Oblique Striped | <i>Phibalapteryx virgata</i> | Nb |
| Ochreous Pug | <i>Eupithecia indigata</i> | Nb |
| Orange Footman | <i>Eilema sororcula</i> | Nb |
| Orange Upperwing | <i>Jodia croceago</i> | P |
| Orange-tailed Clearwing | <i>Synanthedon andrenaeformis</i> | Nb |
| Pimpinel Pug | <i>Eupithecia pimpinellata</i> | Nb |
| Plain Clay | <i>Eugnorisma depuncta</i> | Nb |
| Portland Moth | <i>Actebia praecox</i> | Nb |
| Red-belted Clearwing | <i>Synanthedon myopaeformis</i> | Nb |
| Red-necked Footman | <i>Atolmis rubricollis</i> | Nb |
| Red-tipped Clearwing | <i>Synanthedon formicaeformis</i> | Nb |
| Rosy Wave | <i>Scopula emutaria</i> | Nb |
| Ruddy Carpet | <i>Catarhoe rubidata</i> | Nb |
| Sand Dart | <i>Agrotis ripae</i> | Nb |
| Satin Lutestring | <i>Tetheella fluctuosa</i> | Nb |
| Scarce Blackneck | <i>Lygephila craccae</i> | RDB3, P |
| Shore Wainscot | <i>Mythimna litoralis</i> | Nb |
| Silky Wainscot | <i>Chilodes maritimus</i> | Nb |
| Silver Cloud | <i>Egira conspicillaris</i> | Na |
| Six-belted Clearwing | <i>Bembecia scopigera</i> | Nb |
| Sloe Carpet | <i>Aleucis distinctata</i> | Nb |
| Small Black Arches | <i>Meganola strigula</i> | Na |
| Small Eggar | <i>Eriogaster lanestris</i> | Nb |
| Small Grass Emerald | <i>Chlorissa viridata</i> | Na |
| Small Lappet | <i>Phyllodesma ilicifolia</i> | P |
| Square-spot Dart | <i>Euxoa obelisca grisea</i> | Nb |
| Square-spotted Clay | <i>Xestia rhomboidea</i> | Nb, P |
| Star-wort | <i>Cucullia asteris</i> | Nb |
| Sword-grass | <i>Xylena exsoleta</i> | Nb, P |
| Thyme Pug | <i>Eupithecia distinctaria constricta</i> | Nb |
| Valerian Pug | <i>Eupithecia valerianata</i> | Nb |
| Water Ermine | <i>Spilosoma urticae</i> | Nb |
| Waved Carpet | <i>Hydrelia sylvata</i> | Nb, P |
| Webb's Wainscot | <i>Archana sparganii</i> | Nb |
| White Colon | <i>Sideridis albicolon</i> | Nb |
| White lined Snout | <i>Schranksia taenialis</i> | P |
| White-marked | <i>Cerastis leucographa</i> | Nb |

MOTHS

Macro-moths

| Scientific Name | Common Name | Status |
|----------------------|--------------------------------|--------|
| White-spotted Pinion | <i>Cosmia diffinis</i> | Na, P |
| Yarrow Pug | <i>Eupithecia millefoliata</i> | Nb |

MOTHS

Pyralid moths

| Scientific Name | Status |
|--|--------|
| <i>Ancylosis oblitella</i> | Nb |
| <i>Apomyelois bistriatella neophanes</i> | Nb |
| <i>Calamotropha paludella</i> | Nb |
| <i>Crambus pratella</i> | Nb |
| <i>Crambus uliginosellus</i> | Nb |
| <i>Dolicarthria punctalis</i> | Nb |
| <i>Elegia similella</i> | Nb |
| <i>Eudonia delunella</i> | Nb |
| <i>Eudonia lineola</i> | Nb |
| <i>Euzophera cinerosella</i> | Nb |
| <i>Homoeosoma nebulella</i> | Nb |
| <i>Homoeosoma nimbella</i> | pRDBK |
| <i>Mecyna asinalis</i> | Nb |
| <i>Nephopterix angustella</i> | Nb |
| <i>Oncocera semirubella</i> | Nb |
| <i>Pediasia aridella</i> | Nb |
| <i>Pediasia contaminella</i> | Nb |
| <i>Pediasia fascelinella</i> | pRDB2 |
| <i>Pempelia genistella</i> | Na |
| <i>Phlyctaenia stachydalis</i> | pRDBK |
| <i>Phtheochroa schreibersiana</i> | pRDB1 |
| <i>Platytes alpinella</i> | pRDB3 |
| <i>Salebriopsis albicilla</i> | pRDB3 |
| <i>Schoenobius gigantella</i> | Nb |
| <i>Sciota hostilis</i> | pRDB1 |
| <i>Scoparia ancipitella</i> | Nb |
| <i>Sitochroa palealis</i> | Nb |
| <i>Synaphe punctalis</i> | Nb |
| <i>Thisanotia chrysonuchella</i> | Nb |

MOTHS

Micro-moths

| Scientific Name | Status |
|-----------------------------------|--------|
| <i>Agonopterix nanatella</i> | Nb |
| <i>Ancylis upupana</i> | pRDB3 |
| <i>Archips oporana</i> | pRDB1 |
| <i>Bactra robustana</i> | Nb |
| <i>Blastodacna atra</i> | Nb |
| <i>Buckleria paludum</i> | pRDB3 |
| <i>Capperia britanniodactyla</i> | Nb |
| <i>Celypha woodiana</i> | pRDB2 |
| <i>Cochylimorpha alternana</i> | Nb |
| <i>Coleophora conyzae</i> | Nb |
| <i>Coleophora currucipennella</i> | pRDB3 |
| <i>Coleophora frischella</i> | Nb |

MOTHS

Micro-moths

| Scientific Name | Status |
|---------------------------------------|--------|
| <i>Cosmopterix orichalcea</i> | pRDB3 |
| <i>Crocidesma plebejana</i> | Na |
| <i>Crombruggchia distans</i> | Nb |
| <i>Cydia lunulana</i> | Nb |
| <i>Ectoedemia quinquella</i> | Nb |
| <i>Elachista orstadii</i> | pRDB1 |
| <i>Epinotia demarniana</i> | Nb |
| <i>Eriocrania chrysolepidella</i> | Nb |
| <i>Ethmia dodecea</i> | Nb |
| <i>Eucosmomorpha albersana</i> | Nb |
| <i>Eulamprotes wilkella</i> | Nb |
| <i>Exaeretia ciniflonella</i> | pRDB1 |
| <i>Gibberifera simplana</i> | pRDB1 |
| <i>Glyphipteryx lathamella</i> | pRDB1 |
| <i>Gynnidiomorpha minimana</i> | Nb |
| <i>Lampronia capitella</i> | Nb |
| <i>Leioptilus carphodactyla</i> | Nb |
| <i>Metzneria aprilella</i> | Na |
| <i>Mompha lacteella</i> | pRDB3 |
| <i>Mompha langiella</i> | Nb |
| <i>Mompha terminella</i> | Nb |
| <i>Monochroa lucidella</i> | Nb |
| <i>Nemapogon clematella</i> | Nb |
| <i>Nemapogon wolffiella</i> | Nb |
| <i>Pammene fasciana f.herrichiana</i> | Nb |
| <i>Pancalia leuwenhoekella</i> | Nb |
| <i>Parocystola acroxantha</i> | pRDB3 |
| <i>Phyllonorycter dubitella</i> | Nb |
| <i>Phyllonorycter platanoidella</i> | Nb |
| <i>Phyllonorycter saportella</i> | pRDB1 |
| <i>Platyptilia calodactyla</i> | pRDB3 |
| <i>Platyptilia ochrodactyla</i> | Nb |
| <i>Psychoides filicivora</i> | Nb |
| <i>Pterophorus fuscolimbatus</i> | pRDB1 |
| <i>Pterophorus spilodactylus</i> | pRDB2 |
| <i>Recurvaria leucatella</i> | Nb |
| <i>Sorhagenia lophyrella</i> | Na |
| <i>Sparganothis pilleriana</i> | Nb |
| <i>Spatialitis bifasciana</i> | Nb |
| <i>Stigmella minusculella</i> | pRDB2 |
| <i>Stigmella samiatella</i> | pRDB3 |
| <i>Stigmella ulmariae</i> | Nb |
| <i>Swammerdamia compunctella</i> | Nb |
| <i>Syncopacma larseniella</i> | Nb |
| <i>Telephila schmidtiiellus</i> | Nb |
| <i>Yponomeuta rorrella</i> | pRDB3 |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB1 - Endangered

RDB2 - Vulnerable

RDB3 - Rare

RDBK - Insufficient data available to put in one of the above categories

The prefix 'p' denotes a provisional RDB status

Nationally Scarce

Na - Nationally scarce A (recorded in 16-30 10 km squares nationally)

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

Other categories

P - Biodiversity action plan species

BUGS

| Scientific Name | Common Name | Status |
|-----------------------------------|-------------|--------|
| <i>Acompus rufipes</i> | | Nb |
| <i>Adelphocoris ticinensis</i> | | Nb |
| <i>Aepophilus bonnairei</i> | | Nb |
| <i>Anthocoris simulans</i> | | RDB3 |
| <i>Anthocoris visci</i> | | Nb |
| <i>Aphanus rolandri</i> | | Na |
| <i>Aphrodes albiger</i> | | Nb |
| <i>Asiraca clavicornis</i> | | Nb |
| <i>Capsodes flavomarginatus</i> | | Na |
| <i>Capsodes sulcatus</i> | | Nb |
| <i>Capsus wagneri</i> | | Nb |
| <i>Catoplatus fabricii</i> | | Nb |
| <i>Chartoscirta elegantula</i> | | Nb |
| <i>Chloriona dorsata</i> | | Nb |
| <i>Cimex columbarius</i> | | RDB3 |
| <i>Dicranoccephalus agilis</i> | | Nb |
| <i>Dicranoccephalus medius</i> | | Nb |
| <i>Edwardsiana alnicola</i> | | Nb |
| <i>Edwardsiana ishidai</i> | | Nb |
| <i>Eurygaster maura</i> | | Nb |
| <i>Globiceps flavomaculatus</i> | | Nb |
| <i>Graptopeltus lynceus</i> | | Nb |
| <i>Hallopodus montandoni</i> | | RDB3 |
| <i>Halticus luteicollis</i> | | Nb |
| <i>Hebrus pusillus</i> | | Nb |
| <i>Heterogaster artemisiae</i> | | RDB3 |
| <i>Idiocerus fulgidus</i> | | Na |
| <i>Lamproplax picea</i> | | Nb |
| <i>Laodelphax striatellus</i> | | Na |
| <i>Legnotus picipes</i> | | Nb |
| <i>Lygus pratensis</i> | | RDB3 |
| <i>Macroplax preyssleri</i> | | pRDB3 |
| <i>Macropsis mendax</i> | | Nb |
| <i>Megalonotus dilatatus</i> | | Nb |
| <i>Megalonotus praetextatus</i> | | Nb |
| <i>Micronecta poweri</i> | | RDB3 |
| <i>Microvelia pygmaea</i> | | RDB3 |
| <i>Myrmedobia coleopterata</i> | | Nb |
| <i>Myrmedobia inconspicua</i> | | Nb |
| <i>Nabis brevis</i> | | RDB3 |
| <i>Oliarus leporinus</i> | | Nb |
| <i>Onchochila simplex</i> | | Na |
| <i>Pachybrachius fracticollis</i> | | Nb |
| <i>Pachycoleus waltli</i> | | Nb |
| <i>Paraliburnia clypealis</i> | | pRDBK |
| <i>Pediopsis tiliae</i> | | Nb |
| <i>Physatocheila smreczynskii</i> | | Na |
| <i>Platymetopius undatus</i> | | Na |
| <i>Polymerus palustris</i> | | Nb |
| <i>Psallus albicinctus</i> | | Nb |
| <i>Raglius alboacuminatus</i> | | Nb |
| <i>Rhyparochromus pini</i> | | Nb |
| <i>Ribautodelphax pungens</i> | | Nb |
| <i>Sciocoris cursitans</i> | | Nb |

BUGS

| Scientific Name | Common Name | Status |
|-----------------------------------|-------------|--------|
| <i>Scleroracus decumanus</i> | | Nb |
| <i>Scolopostethus pictus</i> | | Na |
| <i>Sehirus biguttatus</i> | | Nb |
| <i>Stiroma bicarinata</i> | | Nb |
| <i>Stroggylocephalus livens</i> | | Nb |
| <i>Strongylocoris luridus</i> | | Nb |
| <i>Struebingianella dalei</i> | | Nb |
| <i>Systellonotus triguttatus</i> | | Nb |
| <i>Tingis reticulata</i> | | Nb |
| <i>Trigonotylus psammaeicolor</i> | | Nb |
| <i>Trioza centranthi</i> | | Nb |
| <i>Tropistethus holosericeus</i> | | Nb |
| <i>Xylocoridea brevipennis</i> | | Nb |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB3 - Rare

RDBK - Insufficient data available to put in one of the above categories

The prefix 'p' denotes a provisional RDB status

Nationally Scarce

Na - Nationally scarce A (recorded in 16-30 10 km squares nationally)

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

BEETLES

| Scientific Name | Common Name | Status |
|--------------------------------|---------------------|--------|
| <i>Abdera flexuosa</i> | | Nb |
| <i>Acalles ptinoides</i> | | Nb |
| <i>Acalles roboris</i> | | Nb |
| <i>Acalyptus carpini</i> | | Nb |
| <i>Achenium humile</i> | | Nb |
| <i>Acidota cruentata</i> | | Nb |
| <i>Aclypea opaca</i> | Beet Carrion Beetle | Na |
| <i>Aclypea undata</i> | | RDB1 |
| <i>Acrotrichis brevipennis</i> | | Nb |
| <i>Acrotrichis lucidula</i> | | RDBK |
| <i>Actocharis readingi</i> | | RDBK |
| <i>Acupalpus exiguus</i> | | Nb |
| <i>Aderus populneus</i> | | Nb |
| <i>Aepus marinus</i> | | Nb |
| <i>Aepus robini</i> | | Nb |
| <i>Agabus biguttatus</i> | | Nb |
| <i>Agabus chalconatus</i> | | Nb |
| <i>Agabus conspersus</i> | | Nb |
| <i>Agabus labiatus</i> | | Nb |
| <i>Agabus melanarius</i> | | Nb |
| <i>Agabus uliginosus</i> | | Nb |
| <i>Agabus unguicularis</i> | | Nb |
| <i>Agonum nigrum</i> | | Nb |
| <i>Agonum scitulum</i> | | Na |
| <i>Agrilus angustulus</i> | | Nb |
| <i>Agrilus laticornis</i> | | Nb |
| <i>Agriotes sordidus</i> | | RDB3 |
| <i>Aizobius sedi</i> | | Nb |

BEETLES

| Scientific Name | Common Name | Status |
|-----------------------------------|-----------------------|---------|
| <i>Aleochara brevipennis</i> | | Nb |
| <i>Aleochara maculata</i> | | RDB1 |
| <i>Alophus triguttatus</i> | | Nb |
| <i>Altica brevicollis</i> | | Na |
| <i>Altica ericeti</i> | | Nb |
| <i>Amara consularis</i> | | Nb |
| <i>Amara curta</i> | | Nb |
| <i>Amara fulva</i> | | Nb |
| <i>Amara lucida</i> | | Nb |
| <i>Amara nitida</i> | | Na |
| <i>Amara praetermissa</i> | | Nb |
| <i>Amara strenua</i> | | RDB3, P |
| <i>Amarochara umbrosa</i> | | Nb |
| <i>Ampedus elongantulus</i> | | Na |
| <i>Ampedus nigrinus</i> | | Nb |
| <i>Ampedus sanguinolentus</i> | | Na |
| <i>Anacaena bipustulata</i> | | Nb |
| <i>Anaglyptus mysticus</i> | | Nb |
| <i>Anisoxya fuscula</i> | | Na |
| <i>Anobium inexpectatum</i> | | Nb |
| <i>Anommatus duodecimstriatus</i> | | Na |
| <i>Anoplus roboris</i> | | Nb |
| <i>Anthicus bifasciatus</i> | | Nb |
| <i>Anthonomus ulmi</i> | | Nb |
| <i>Anthribus fasciatus</i> | | Na |
| <i>Anthribus nebulosus</i> | | Nb |
| <i>Aphodius coenosus</i> | | Nb |
| <i>Aphodius conspurcatus</i> | | Nb |
| <i>Aphodius consputus</i> | | RDB3 |
| <i>Aphodius distinctus</i> | | Nb |
| <i>Aphodius paykulli</i> | | Nb |
| <i>Aphodius plagiatus</i> | | Nb |
| <i>Aphodius quadrimaculatus</i> | | RDB1 |
| <i>Aphodius subterraneus</i> | | RDB1 |
| <i>Aromia moschata</i> | Musk Beetle | Nb |
| <i>Astenus procerus</i> | | RDBK |
| <i>Atheta aegra</i> | | Nb |
| <i>Atheta benicki</i> | | RDB1 |
| <i>Atheta glabricula</i> | | Nb |
| <i>Atomaria atra</i> | | Nb |
| <i>Atomaria barani</i> | | Nb |
| <i>Atomaria fimetarii</i> | | Nb |
| <i>Atomaria umbrina</i> | | Nb |
| <i>Badister dilatatus</i> | | Nb |
| <i>Badister unipustulatus</i> | | Nb |
| <i>Baeckmanniolus dimidiatus</i> | | Nb |
| <i>Bagous glabrirostris</i> | | Nb |
| <i>Bagous limosus</i> | | Nb |
| <i>Bagous lutulentus</i> | | Nb |
| <i>Bagous nodulosus</i> | | RDB1 |
| <i>Bagous subcarinatus</i> | | Na |
| <i>Bagous tempestivus</i> | | Nb |
| <i>Baris lepidii</i> | | Na |
| <i>Barypeithes sulcifrons</i> | | Nb |
| <i>Batophila aerata</i> | Raspberry Flea Beetle | Nb |
| <i>Bembidion clarki</i> | | Nb |
| <i>Bembidion gilvipes</i> | | Nb |
| <i>Bembidion lunatum</i> | | Nb |
| <i>Bembidion monticola</i> | | Nb |
| <i>Bembidion pallidipenne</i> | | Nb |

BEETLES

| Scientific Name | Common Name | Status |
|-----------------------------------|--------------------------|---------|
| <i>Berosus affinis</i> | | Nb |
| <i>Berosus luridus</i> | | Nb |
| <i>Bibloplectus pusillus</i> | | Nb |
| <i>Bledius diota</i> | | RDBK |
| <i>Blethisa multipunctata</i> | | Nb |
| <i>Bolitochara mulsanti</i> | | Nb |
| <i>Bolitochara pulchra</i> | | Nb |
| <i>Brachinus crepitans</i> | Bombardier Beetle | Nb |
| <i>Brachygluta simplex</i> | | Nb |
| <i>Brachysomus echinatus</i> | | Nb |
| <i>Bruchus atomarius</i> | | Nb |
| <i>Byctiscus betulae</i> | Hazel Leaf Roller | Nb |
| <i>Caenopsis fissirostris</i> | | Nb |
| <i>Calathus ambiguus</i> | | Nb |
| <i>Calodera protensa</i> | | RDB1 |
| <i>Calomicrus circumfusus</i> | | Na |
| <i>Cantharis fusca</i> | | RDB3 |
| <i>Carabus intricatus</i> | Blue Ground Beetle | RDB1, P |
| <i>Carabus monilis</i> | | Nb |
| <i>Cassida nebulosa</i> | | RDB1 |
| <i>Cassida nobilis</i> | | Nb |
| <i>Cassida prasina</i> | | Nb |
| <i>Catapion pubescens</i> | | Nb |
| <i>Cercyon atricapillus</i> | | Nb |
| <i>Cercyon bifenestratus</i> | | Na |
| <i>Cercyon convexiusculus</i> | | Nb |
| <i>Cercyon depressus</i> | | Nb |
| <i>Cercyon granarius</i> | | RDB3 |
| <i>Cercyon sternalis</i> | | Nb |
| <i>Cercyon tristis</i> | | Nb |
| <i>Cercyon ustulatus</i> | | Nb |
| <i>Cerylon fagi</i> | | Nb |
| <i>Ceutorhynchus angulosus</i> | | Na |
| <i>Ceutorhynchus atomus</i> | | Na |
| <i>Ceutorhynchus campestris</i> | | Nb |
| <i>Ceutorhynchus constrictus</i> | | Nb |
| <i>Ceutorhynchus geographicus</i> | a weevil | Nb |
| <i>Ceutorhynchus mixtus</i> | | Nb |
| <i>Ceutorhynchus pectoralis</i> | | Na |
| <i>Ceutorhynchus rapae</i> | | Nb |
| <i>Ceutorhynchus syrites</i> | | RDB1 |
| <i>Ceutorhynchus terminatus</i> | | Nb |
| <i>Ceutorhynchus trimaculatus</i> | | Nb |
| <i>Ceutorhynchus viduatus</i> | | Nb |
| <i>Chaetarthria seminulum</i> | | Nb |
| <i>Chaetocnema sahlbergi</i> | | Na |
| <i>Chaetocnema subcoerulea</i> | | Nb |
| <i>Chalcoïdes nitidula</i> | | Nb |
| <i>Chlaenius nigricornis</i> | | Nb |
| <i>Choleva glauca</i> | | Nb |
| <i>Chrysolina haemoptera</i> | Plantain Leaf Beetle | Nb |
| <i>Chrysolina oricalcia</i> | | Nb |
| <i>Chrysolina violacea</i> | | Nb |
| <i>Cicindela maritima</i> | | Nb, P |
| <i>Cionus nigritarsis</i> | | Na |
| <i>Cis coluber</i> | | RDB3 |
| <i>Claviger testaceus</i> | Yellow Ants'-nest Beetle | Nb |
| <i>Cneorhinus plumbeus</i> | | Nb |
| <i>Coelambus parellelogrammus</i> | | Nb |
| <i>Coeliodes erythroleucus</i> | | Nb |

BEETLES

| Scientific Name | Common Name | Status |
|---|------------------------|--------|
| <i>Coeloides ruber</i> | | Nb |
| <i>Conopalpus testaceus</i> | | Nb |
| <i>Cossonus parallelepipedus</i> | | Nb |
| <i>Cryptarcha strigata</i> | | Nb |
| <i>Cryptocephalus aureolus</i> | | Nb |
| <i>Cryptocephalus bilineatus</i> | | Nb |
| <i>Cryptocephalus bipunctatus</i> | | Nb |
| <i>Cryptocephalus parvulus</i> | | Nb |
| <i>Cryptophagus ruficornis</i> | | Nb |
| <i>Cryptorhynchus lapathi</i> | Willow Beetle | Nb |
| <i>Ctenicera pectinicornis</i> | | Na |
| <i>Ctesias serra</i> | | Nb |
| <i>Curculio betulae</i> | | Nb |
| <i>Curculio villosus</i> | | Nb |
| <i>Cyanostolus aeneus</i> | | Na |
| <i>Cylindrinotus pallidus</i> | | Nb |
| <i>Cymindis axillaris</i> | | Na |
| <i>Cypha ovulum</i> | | RDBK |
| <i>Cyphon pubescens</i> | | Nb |
| <i>Dacryla fallax</i> | | Nb |
| <i>Dasytes plumbeus</i> | | Nb |
| <i>Dasytes puncticollis</i> | | Nb |
| <i>Deleaster dichrous</i> | | Nb |
| <i>Demetrias imperialis</i> | | Nb |
| <i>Dendroxena quadrimaculata</i> | | Nb |
| <i>Deronectes latus</i> | | Nb |
| <i>Dexiogyia corticina</i> | | Nb |
| <i>Dicronychus equiseti</i> | | RDB2 |
| <i>Diglotta submarina</i> | | Nb |
| <i>Dinarda pygmaea</i> | | RDB1 |
| <i>Diplapion stolidum</i> | | Nb |
| <i>Dirhagus pygmaeus</i> | | RDB3 |
| <i>Donacia clavipes</i> | | Nb |
| <i>Donacia crassipes</i> | Water-lily Reed Beetle | Nb |
| <i>Donacia dentata</i> | | Na |
| <i>Donacia obscura</i> | | Na |
| <i>Donacia sparganii</i> | | Na |
| <i>Donacia thalassina</i> | a leaf beetle | Nb |
| <i>Dorcatoma flavigornis</i> | | Nb |
| <i>Dorytomus salicis</i> | | Na |
| <i>Drupenatus nasturtii</i> | | Nb |
| <i>Dryops auriculatus</i> | | Nb |
| <i>Dryops griseus</i> | | RDB3 |
| <i>Dyschirius impunctipennis</i> | | Nb |
| <i>Dytiscus circumflexus</i> | | Nb |
| <i>Dytiscus dimidiatus</i> | | RDB3 |
| <i>Elaphrus uliginosus</i> | | Nb |
| <i>Eledona agricola</i> | | Nb |
| <i>Enochrus affinis sens. lat.</i> | | Nb |
| <i>Enochrus affinis sens. str.</i> | | Nb |
| <i>Enochrus bicolor</i> | | Nb |
| <i>Enochrus halophilus</i> | | Na |
| <i>Enochrus melanocephalus</i> | | Nb |
| <i>Enochrus ochropterus</i> | | Nb |
| <i>Enochrus quadripunctatus s. lat.</i> | | Nb |
| <i>Epuraea distincta</i> | | Na |
| <i>Epuraea longula</i> | | Nb |
| <i>Erichsonius signaticornis</i> | | Nb |
| <i>Eubrychius velutus</i> | | Nb |
| <i>Euheptaulacus sus</i> | | RDB1 |

BEETLES

| Scientific Name | Common Name | Status |
|--|----------------------------|-------------|
| <i>Euheptaulacus villosus</i> | | Na |
| <i>Euplectus duponti</i> | | Nb |
| <i>Euplectus fauveli</i> | | Nb |
| <i>Eutrichapion (Psilocalymma) punctigerum</i> | | Nb |
| <i>Falagria sulcatula</i> | | Nb |
| <i>Fleutiauxellus quadripustulatus</i> | | Na |
| <i>Gabrius bishopi</i> | | Nb |
| <i>Georissus crenulatus</i> | | Na |
| <i>Geotrupes mutator</i> | | Nb |
| <i>Geotrupes vernalis</i> | | Nb |
| <i>Gnypeta caerulea</i> | | Nb |
| <i>Gracilia minuta</i> | | RDB2 |
| <i>Graptodytes bilineatus</i> | Horsetail Weevil | RDB3 |
| <i>Graptodytes granularis</i> | | Nb |
| <i>Grypus equiseti</i> | | Nb |
| <i>Gymnetron melanarium</i> | | Nb |
| <i>Gymnetron veronicae</i> | | Nb |
| <i>Gymnetron villosulum</i> | | Nb |
| <i>Gyrinus aeratus</i> | | Nb |
| <i>Gyrinus minutus</i> | | Nb |
| <i>Gyrinus natator</i> | | pRDB1 |
| <i>Gyrinus suffriani</i> | | RDB3 |
| <i>Gyrinus urinator</i> | | Nb |
| <i>Gyrophaena angustata</i> | | Nb |
| <i>Gyrophaena lucidula</i> | | Nb |
| <i>Haliplus apicalis</i> | | Nb |
| <i>Haliplus furcatus</i> | | RDB1 |
| <i>Haliplus heydeni</i> | | Nb |
| <i>Haliplus laminatus</i> | | Nb |
| <i>Haliplus mucronatus</i> | | Na |
| <i>Haliplus variegatus</i> | | RDB3 |
| <i>Hallomenus binotatus</i> | | Nb |
| <i>Harpalus ardosiacus</i> | | Nb |
| <i>Harpalus azureus</i> | | Nb |
| <i>Harpalus dimidiatus</i> | | P |
| <i>Harpalus melancholicus</i> | | RDB1 |
| <i>Harpalus quadripunctatus</i> | | Na |
| <i>Harpalus serripes</i> | | Nb |
| <i>Helochares lividus</i> | a scavenger water beetle | Nb |
| <i>Helochares punctatus</i> | | Nb |
| <i>Helophorus dorsalis</i> | | Nb |
| <i>Helophorus fulgidicollis</i> | | Nb |
| <i>Helophorus griseus</i> | | Nb |
| <i>Helophorus longitarsis</i> | | RDB3 |
| <i>Helophorus nanus</i> | | Nb |
| <i>Helophorus strigifrons</i> | | Nb |
| <i>Helops caeruleus</i> | | Nb |
| <i>Hemitrichapion (Tinocyba) reflexum</i> | | Na |
| <i>Heterota plumbea</i> | | Nb |
| <i>Heterothops dissimilis</i> | | RDBK |
| <i>Hippodamia variegata</i> | Adonis' Ladybird | Nb |
| <i>Hister bissexstriatus</i> | | Nb |
| <i>Hydaticus seminiger</i> | | Nb |
| <i>Hydaticus transversalis</i> | | RDB3 |
| <i>Hydraena minutissima</i> | | Nb |
| <i>Hydraena nigrita</i> | | Nb |
| <i>Hydraena pygmaea</i> | | RDB3 |
| <i>Hydraena testacea</i> | | Nb |
| <i>Hydrochara caraboides</i> | Lesser Silver Water Beetle | RDB1, P, LP |
| <i>Hydrochus angustatus</i> | | Nb |

BEETLES

| Scientific Name | Common Name | Status |
|------------------------------------|---------------------------|--------|
| <i>Hydrochus ignicollis</i> | | RDB3 |
| <i>Hydrocyphon deflexicollis</i> | | Nb |
| <i>Hydroglyphus pusillus</i> | | Nb |
| <i>Hydronomus alismatis</i> | | Nb |
| <i>Hydrophilus piceus</i> | Great Silver Water Beetle | RDB3 |
| <i>Hydroporus ferrugineus</i> | | Nb |
| <i>Hydroporus longulus</i> | | Nb |
| <i>Hydroporus obsoletus</i> | | Nb |
| <i>Hydrosmepta fragilis</i> | | Nb |
| <i>Hydrothassa hannoveriana</i> | | RDB3 |
| <i>Hydrovatus clypealis</i> | | RDB3 |
| <i>Hygrotus decoratus</i> | | Nb |
| <i>Hylobius transversovittatus</i> | | RDB1 |
| <i>Hypera dauci</i> | | Nb |
| <i>Hypera fuscocinerea</i> | | Nb |
| <i>Hypera meles</i> | | Na |
| <i>Hyperaspis pseudopustulata</i> | | Nb |
| <i>Hypocaccus rugifrons</i> | | Nb |
| <i>Ilybius aenescens</i> | | Nb |
| <i>Ilybius fenestratus</i> | | Nb |
| <i>Ilybius guttiger</i> | | Nb |
| <i>Ilyobates nigricollis</i> | | RDBK |
| <i>Ilyobates propinquus</i> | | Nb |
| <i>Ilyobates subopacus</i> | | Nb |
| <i>Ischnodes sanguinicollis</i> | | Na |
| <i>Ischnomera caerulea</i> | | pRDB3 |
| <i>Ischnomera cyanea</i> | | Nb |
| <i>Ischnomera sanguinicollis</i> | | Nb |
| <i>Isochnus foliorum</i> | | Na |
| <i>Ityocara rubens</i> | | RDB1 |
| <i>Kissophagus hederae</i> | | Nb |
| <i>Korynetes caeruleus</i> | | Nb |
| <i>Laccobius atratus</i> | | Nb |
| <i>Laccobius atrocephalus</i> | | Nb |
| <i>Laccornis oblongus</i> | | RDB3 |
| <i>Lamprosoma concolor</i> | | Nb |
| <i>Larinus planus</i> | | Nb |
| <i>Lathrobium angustum</i> | | Nb |
| <i>Lebia chlorocephala</i> | | Nb |
| <i>Leiodes furva</i> | a round fungus beetle | Nb |
| <i>Leptura sexguttata</i> | | RDB3 |
| <i>Lesteva hansenii</i> | | Nb |
| <i>Licinus depressus</i> | | Nb |
| <i>Licinus punctatulus</i> | | Na |
| <i>Limnebius aluta</i> | | RDB3 |
| <i>Limnebius nitidus</i> | | Nb |
| <i>Limnebius papposus</i> | | Nb |
| <i>Limnoxenus niger</i> | | Nb |
| <i>Liogluta pagana</i> | | Nb |
| <i>Lissodema quadripustulata</i> | | Nb |
| <i>Litodactylus leucogaster</i> | | Nb |
| <i>Lixus paraplecticus</i> | | RDB1 |
| <i>Lixus vilis</i> | | RDB1 |
| <i>Lomechusa emarginata</i> | | Nb |
| <i>Longitarsus absynthii</i> | | Na |
| <i>Longitarsus anchusae</i> | | Nb |
| <i>Longitarsus ballotae</i> | | Nb |
| <i>Longitarsus brunneus</i> | | Nb |
| <i>Longitarsus curtus</i> | | Na |
| <i>Longitarsus fowleri</i> | | Na |

BEETLES

| Scientific Name | Common Name | Status |
|-------------------------------------|-------------------------|-----------------|
| <i>Longitarsus ganglbaueri</i> | | Na |
| <i>Longitarsus nasturtii</i> | | Nb |
| <i>Longitarsus nigrofasciatus</i> | | Na |
| <i>Longitarsus parvulus</i> | Flax Flea Beetle | Na |
| <i>Longitarsus rutilus</i> | | Na |
| <i>Longitarsus tabidus</i> | | Nb |
| <i>Lucanus cervus</i> | Stag Beetle | Nb, P, Annex II |
| <i>Luperus flavipes</i> | | Nb |
| <i>Lycoperdina bovisetae</i> | | RDB3 |
| <i>Lythrraria salicariae</i> | Loosestrife Flea Beetle | Nb |
| <i>Magdalais barbicornis</i> | Pear Weevil | Na |
| <i>Magdalais carbonaria</i> | | Nb |
| <i>Magdalais cerasi</i> | | Nb |
| <i>Malachius aeneus</i> | | RDB3, P |
| <i>Malachius marginellus</i> | | Nb |
| <i>Malthinus balteatus</i> | | Nb |
| <i>Malthinus frontalis</i> | | Nb |
| <i>Malthodes fibulatus</i> | | Nb |
| <i>Malthodes guttifer</i> | | Nb |
| <i>Malthodes maurus</i> | | Nb |
| <i>Mantura chrysanthemi</i> | | Na |
| <i>Mantura rustica</i> | | Nb |
| <i>Mecinus circulatus</i> | | Nb |
| <i>Mecinus collaris</i> | | Nb |
| <i>Medon piceus</i> | | RDB1 |
| <i>Medon ripicola</i> | | Nb |
| <i>Melanapion minimum</i> | | RDB3, P |
| <i>Melandrya caraboides</i> | | Nb |
| <i>Melanophthalma distinguenda</i> | | RDB1 |
| <i>Melasis buprestoides</i> | | Nb |
| <i>Meligethes atramentarius</i> | | Nb |
| <i>Meligethes bidens</i> | | RDBK |
| <i>Meligethes erichsoni</i> | | Nb |
| <i>Meligethes lugubris</i> | | Nb |
| <i>Meligethes ochropus</i> | | Nb |
| <i>Meligethes rotundicollis</i> | | Nb |
| <i>Meligethes solidus</i> | | Nb |
| <i>Meligethes umbrosus</i> | | Nb |
| <i>Meloe violaceus</i> | Oil Beetle | Nb |
| <i>Mesites tardii</i> | | Nb |
| <i>Miarus graminis</i> | a weevil | Nb |
| <i>Mniophila muscorum</i> | Moss Flea Beetle | Nb |
| <i>Mononychus punctumalbum</i> | Iris Weevil | Na |
| <i>Monotoma angusticollis</i> | | RDB3 |
| <i>Mordellistena humeralis</i> | | RDBK |
| <i>Mordellistena neuwaldeggiana</i> | | RDBK |
| <i>Mycetophagus piceus</i> | | Nb |
| <i>Mycetoporus longicornis</i> | | Nb |
| <i>Myllaena elongata</i> | | Nb |
| <i>Myrmecopora brevipes</i> | | Nb |
| <i>Nebria complanata</i> | | Na |
| <i>Nemozoma elongatum</i> | | RDB3 |
| <i>Nephus quadrimaculatus</i> | | RDB2 |
| <i>Nicrophorus interruptus</i> | | Nb |
| <i>Nicrophorus vestigator</i> | | Na |
| <i>Notaris bimaculatus</i> | | Nb |
| <i>Notaris scirpi</i> | | Nb |
| <i>Notiophilus quadripunctatus</i> | | Nb |
| <i>Ochrosis ventralis</i> | | RDB3 |
| <i>Ochthebius auriculatus</i> | | Nb |

BEETLES

| Scientific Name | Common Name | Status |
|-------------------------------|--------------------------|---------|
| <i>Ochthebius bicolor</i> | | Nb |
| <i>Ochthebius exsculptus</i> | | Nb |
| <i>Ochthebius marinus</i> | | Nb |
| <i>Ochthebius nanus</i> | | Nb |
| <i>Ochthebius punctatus</i> | | Nb |
| <i>Ochthebius pusillus</i> | | RDB3 |
| <i>Ochthebius subinteger</i> | | Nb |
| <i>Ochthebius viridis</i> | | Nb |
| <i>Ocypus fortunatarum</i> | | Nb |
| <i>Ocypus nero</i> | | Na |
| <i>Odacantha melanura</i> | | Nb |
| <i>Odonteus armiger</i> | | Na |
| <i>Olibrus pygmaeus</i> | | Nb |
| <i>Oligota apicata</i> | | Nb |
| <i>Omalium rugatum</i> | | Nb |
| <i>Omalium rugulipenne</i> | | RDBK |
| <i>Oncomera femorata</i> | | Nb |
| <i>Onthophagus nutans</i> | | pRDB1 |
| <i>Onthophagus vacca</i> | | Nb |
| <i>Oodes helopioides</i> | | Nb |
| <i>Opatrum sabulosum</i> | | Nb |
| <i>Orchesia micans</i> | | Nb |
| <i>Orchesia minor</i> | | Nb |
| <i>Orthocerus clavicornis</i> | | Nb |
| <i>Orthoperus brunnipes</i> | | RDB3 |
| <i>Orthoperus nigrescens</i> | | Nb |
| <i>Otiorhynchus desertus</i> | | Nb |
| <i>Oulema erichsoni</i> | | RDB1 |
| <i>Oulimnius major</i> | | Na |
| <i>Oulimnius troglodytes</i> | | Nb |
| <i>Oxypoda lurida</i> | | Nb |
| <i>Oxytelus fulvipes</i> | | Na |
| <i>Paederus caligatus</i> | | RDB3 |
| <i>Paederus fuscipes</i> | | Nb |
| <i>Panagaeus bipustulatus</i> | | Nb |
| <i>Panagaeus cruxmajor</i> | | RDB1, P |
| <i>Paracymus scutellaris</i> | | Nb |
| <i>Peltodytes caesus</i> | | Nb |
| <i>Phaeton concinnus</i> | | Nb |
| <i>Philonthus atratus</i> | | Na |
| <i>Philonthus corruscus</i> | | RDB1 |
| <i>Philonthus fumarius</i> | | Nb |
| <i>Philonthus lepidus</i> | | RDBK |
| <i>Phloiotphilus edwardsi</i> | | Nb |
| <i>Phloiotrya vaudoueri</i> | | Nb |
| <i>Phyllotreta aerea</i> | | Nb |
| <i>Phyllotreta cruciferae</i> | Turnip Flea Beetle | Nb |
| <i>Phytobius comari</i> | | Nb |
| <i>Phytobius muricatus</i> | | Na |
| <i>Phytobius waltoni</i> | | Nb |
| <i>Phytoecia cylindrica</i> | | Nb |
| <i>Pilemostoma fastuosa</i> | | Na |
| <i>Plateumaris affinis</i> | | Nb |
| <i>Plateumaris braccata</i> | | Na |
| <i>Platycis minuta</i> | | Nb |
| <i>Platyderus ruficollis</i> | | Nb |
| <i>Platydracus fulvipes</i> | | Nb |
| <i>Platydracus pubescens</i> | | Nb |
| <i>Platypus cylindrus</i> | Oak Pin-hole Borer | Nb |
| <i>Platyrrhinus resinosus</i> | Cramp-ball Fungus Weevil | Nb |

BEETLES

| Scientific Name | Common Name | Status |
|--------------------------------------|------------------------------|--------|
| <i>Platystethus nodifrons</i> | | Nb |
| <i>Pogonus littoralis</i> | | Nb |
| <i>Pogonus luridipennis</i> | | RDB3 |
| <i>Polydrusus confluens</i> | | Nb |
| <i>Polydrusus flavipes</i> | | Nb |
| <i>Polydrusus sericeus</i> | | Na |
| <i>Prionocyphon serricornis</i> | | Nb |
| <i>Prionus coriarius</i> | Sawyer Beetle | Na |
| <i>Prionychus ater</i> | | Nb |
| <i>Procas armillatus</i> | | RDB1 |
| <i>Protapion difforme</i> | | Nb |
| <i>Protapion filirostre</i> | | Nb |
| <i>Protapion schoenherri</i> | | Na |
| <i>Protapion varipes</i> | | Nb |
| <i>Psammodius asper</i> | | Na |
| <i>Pselactus spadix</i> | | Nb |
| <i>Pselaphaulax dresdensis</i> | | Nb |
| <i>Pseudocistela ceramboides</i> | | Nb |
| <i>Pseudoprotapion astragali</i> | | Na |
| <i>Pseudopsis sulcata</i> | | Nb |
| <i>Psylliodes attenuata</i> | Hop Flea Beetle | RDB1 |
| <i>Psylliodes chalcomera</i> | | Nb |
| <i>Ptenidium brenskei</i> | | Nb |
| <i>Pterostichus aethiops</i> | | Nb |
| <i>Pterostichus angustatus</i> | | Nb |
| <i>Pterostichus anthracinus</i> | | Nb |
| <i>Pterostichus gracilis</i> | | Nb |
| <i>Pterostichus longicollis</i> | | Nb |
| <i>Pterostichus oblongopunctatus</i> | | Nb |
| <i>Ptinomorphus imperialis</i> | | Nb |
| <i>Ptinus palliatus</i> | | Na |
| <i>Ptinus sexpunctatus</i> | | Nb |
| <i>Ptinus subpilosus</i> | | Nb |
| <i>Ptomaphagus varicornis</i> | | RDBK |
| <i>Pyrochroa coccinea</i> | Black-headed Cardinal Beetle | Nb |
| <i>Quedius auricomus</i> | | Nb |
| <i>Quedius brevicornis</i> | | Nb |
| <i>Quedius fulgidus</i> | | Nb |
| <i>Quedius invreae</i> | | Nb |
| <i>Quedius microps</i> | | Nb |
| <i>Quedius nigrocaeruleus</i> | | Nb |
| <i>Quedius riparius</i> | | RDBK |
| <i>Quedius ventralis</i> | | Nb |
| <i>Quedius xanthopus</i> | | Nb |
| <i>Rhagonycha translucida</i> | | Nb |
| <i>Rhantus frontalis</i> | | Nb |
| <i>Rhantus grapii</i> | | Nb |
| <i>Rhantus suturalis</i> | | Nb |
| <i>Rhizophagus nitidulus</i> | | Nb |
| <i>Rhynchaenus iota</i> | | Nb |
| <i>Rhynchites interpunctatus</i> | | Nb |
| <i>Rhynchites pauxillus</i> | | RDB3 |
| <i>Rhynchites tomentosus</i> | | Nb |
| <i>Riolus cupreus</i> | | Nb |
| <i>Riolus subviolaceus</i> | | Nb |
| <i>Rugilus geniculatus</i> | | RDB1 |
| <i>Saprinus cuspidatus</i> | | Nb |
| <i>Saprinus virescens</i> | | RDBK |
| <i>Scaphidema metallicum</i> | | Nb |
| <i>Scaphisoma boleti</i> | | Nb |

BEETLES

| Scientific Name | Common Name | Status |
|----------------------------------|-------------|---------|
| <i>Scirtes orbicularis</i> | | Na |
| <i>Scolytus mali</i> | | Nb |
| <i>Scymnus femoralis</i> | | Nb |
| <i>Scymnus limbatus</i> | | Nb |
| <i>Selatosomus angustulus</i> | | RDB3 |
| <i>Selatosomus bipustulatus</i> | | Nb |
| <i>Selatosomus nigricornis</i> | | RDB3 |
| <i>Sepedophilus bipunctatus</i> | | Nb |
| <i>Sepedophilus pedicularius</i> | | Nb |
| <i>Sibinia primitus</i> | | Nb |
| <i>Silis ruficollis</i> | | Nb |
| <i>Silpha obscura</i> | | RDB2 |
| <i>Sitona macularius</i> | | Nb |
| <i>Sitona waterhousei</i> | | Nb |
| <i>Smicronyx jungermanniae</i> | | Nb |
| <i>Smicronyx reichi</i> | | RDB3 |
| <i>Sphindus dubius</i> | | Nb |
| <i>Squamapion vicinum</i> | | Nb |
| <i>Stenichnus poweri</i> | | pRDBK |
| <i>Stenocarus umbrinus</i> | | Nb |
| <i>Stenolophus skrimshiranus</i> | | Na |
| <i>Stenolophus teutonus</i> | | Nb |
| <i>Stenostola dubia</i> | | Nb |
| <i>Stenus atratulus</i> | | Nb |
| <i>Stenus butrintensis</i> | | Nb |
| <i>Stenus canescens</i> | | Nb |
| <i>Stenus carbonarius</i> | | Nb |
| <i>Stenus circularis</i> | | Nb |
| <i>Stenus exiguis</i> | | Nb |
| <i>Stenus forniciatus</i> | | Nb |
| <i>Stenus nigritulus</i> | | Nb |
| <i>Stenus niveus</i> | | Nb |
| <i>Stenus palustris</i> | | Nb |
| <i>Stictonectes lepidus</i> | | Nb |
| <i>Strangalia aurulenta</i> | | Na |
| <i>Strangalia nigra</i> | | Na |
| <i>Strophosoma faber</i> | | Nb |
| <i>Sunius melanocephalus</i> | | Nb |
| <i>Symbiotes latus</i> | | Nb |
| <i>Synaptus filiformis</i> | | RDB1, P |
| <i>Tachyporus formosus</i> | | Na |
| <i>Tachys bistrigatus</i> | | Nb |
| <i>Tachys parvulus</i> | | Nb |
| <i>Tanymecus palliatus</i> | | Nb |
| <i>Telmatophilus brevicollis</i> | | RDB3 |
| <i>Tetratoma ancora</i> | | Nb |
| <i>Tetratoma desmaresti</i> | | Na |
| <i>Thamiaraea hospita</i> | | Nb |
| <i>Thanatophilus dispar</i> | | RDB1 |
| <i>Thryogenes scirrhosus</i> | | Nb |
| <i>Thymalus limbatus</i> | | Nb |
| <i>Tillus elongatus</i> | | Nb |
| <i>Trachodes hispidus</i> | | Nb |
| <i>Trachyphloeus alternans</i> | | Nb |
| <i>Trachyphloeus aristatus</i> | | Nb |
| <i>Trachyphloeus asperatus</i> | | Nb |
| <i>Trachyphloeus digitalis</i> | | Na |
| <i>Trachyphloeus laticollis</i> | | Na |
| <i>Trachyphloeus spinimanus</i> | | Nb |
| <i>Trechus fulvus</i> | | Nb |

BEETLES

| Scientific Name | Common Name | Status |
|-------------------------------|--------------------|--------|
| <i>Trechus rubens</i> | | Nb |
| <i>Trichonyx sulcicollis</i> | | RDB2 |
| <i>Tropiphorus elevatus</i> | | Nb |
| <i>Tychius pusillus</i> | | Nb |
| <i>Tychius squamulatus</i> | | Nb |
| <i>Tychius tibialis</i> | | Na |
| <i>Variimorda villosa</i> | | Nb |
| <i>Velleius dilatatus</i> | Hornet Rove-beetle | RDB1 |
| <i>Xyletinus longitarsis</i> | | RDB2 |
| <i>Xylostiba monilicornis</i> | | Nb |
| <i>Xyloterus signatus</i> | | Nb |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB1 - Endangered

RDB2 - Vulnerable

RDB3 - Rare

RDBK - Insufficient data available to put in one of the above categories

The prefix 'p' denotes a provisional RDB status

Nationally Scarce

Na - Nationally scarce A (recorded in 16-30 10 km squares nationally)

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

Other categories

LP - Legally protected by Wildlife and Countryside Act (1981)

P - Biodiversity action plan species

Annex II - Species protected under Annex II of the EU habitats directive (1992)

FLIES

| Scientific Name | Common Name | Status |
|----------------------------------|-------------|--------|
| <i>Acartophthalmus bicolor</i> | | pRDB3 |
| <i>Allodia pistillata</i> | | Nb |
| <i>Allodiopsis ingeniosa</i> | | Nb |
| <i>Anasimyia lunulata</i> | | Nb |
| <i>Anatella ankeli</i> | | pRDB3 |
| <i>Asilus crabroniformis</i> | | Nb, P |
| <i>Beris clavipes</i> | | Nb |
| <i>Beris fuscipes</i> | | Nb |
| <i>Boletina dispecta</i> | | Nb |
| <i>Bombylius canescens</i> | | Nb |
| <i>Bombylius discolor</i> | | Nb, P |
| <i>Brachyopa insensilis</i> | | Nb |
| <i>Brachyopa pilosa</i> | | Nb |
| <i>Brachypalpus laphriformis</i> | | Nb |
| <i>Brachypeza armata</i> | | RDB2 |
| <i>Brevicornu foliatum</i> | | pRDB3 |
| <i>Calicera aurta</i> | | RDB3 |
| <i>Cheilosia carbonaria</i> | | Nb |
| <i>Cheilosia cynocephala</i> | | Nb |
| <i>Cheilosia nigripes</i> | | RDB3 |
| <i>Cheilosia soror</i> | | Nb |
| <i>Cheilotrichia imbuta</i> | | Nb |
| <i>Chelifera subangusta</i> | | Nb |
| <i>Chlorops troglodytes</i> | | Nb |

FLIES

| Scientific Name | Common Name | Status |
|--|---------------|---------|
| <i>Chorisops nagatomii</i> | | Nb |
| <i>Chrysogaster macquarti</i> | | Nb |
| <i>Chrysopilus erythrophthalmus</i> | | RDB2 |
| <i>Chrysotimus concinnus</i> | | Nb |
| <i>Chrysotoxum elegans</i> | | RDB3 |
| <i>Coenosia atra</i> | | Nb |
| <i>Coenosia stigmatica</i> | | pRDB3 |
| <i>Conops strigata</i> | | Nb |
| <i>Conops vesicularis</i> | | Nb |
| <i>Cordilura picipes</i> | | pRDB3 |
| <i>Criorrhina asilica</i> | | Nb |
| <i>Criorrhina ranunculi</i> | | Nb |
| <i>Ctenophora atrata</i> | | Nb |
| <i>Ctenophora flaveolata</i> | | pRDB2 |
| <i>Ctenophora pectinicornis</i> | | Nb |
| <i>Dasiops spatus</i> | | Nb |
| <i>Dexiopsis lacustris</i> | | Nb |
| <i>Dicraeus tibialis</i> | | Nb |
| <i>Didea fasciata</i> | | Nb |
| <i>Diocria oelandica</i> | | Nb |
| <i>Diogma glabrata</i> | | Nb |
| <i>Dixa maculata</i> | | Nb |
| <i>Dolichopus arbustorum</i> | | RDB3 |
| <i>Dolichopus virgultorum</i> | | Nb |
| <i>Doros profuges</i> | | RDB2, P |
| <i>Epistrophe diaphana</i> | | Nb |
| <i>Epitriptus arthriticus</i> | | RDB1 |
| <i>Eristalis cryptarum</i> | | RDB2, P |
| <i>Eudorylas horridus</i> | | Nb |
| <i>Eudorylas terminalis</i> | | RDB2 |
| <i>Eumerus ornatus</i> | | Nb |
| <i>Eurithia intermedia</i> | | Nb |
| <i>Eutropha fulvifrons</i> | | Nb |
| <i>Gasterophilus intestinalis</i> | Horse Bot Fly | Nb |
| <i>Helina pubescens</i> | | RDB3 |
| <i>Hercostomus chalybeus</i> | | Nb |
| <i>Hydrophorus viridis</i> | | RDB3 |
| <i>Hydrotaea cinerea</i> | | Nb |
| <i>Hypoderma bovis</i> | | RDB2 |
| <i>Laphria marginata</i> | | Nb |
| <i>Leia piffardi</i> | | Nb |
| <i>Lejogaster splendida</i> | | Nb |
| <i>Lejops vittata</i> | | RDB2 |
| <i>Leopoldius signatus</i> | | Nb |
| <i>Limnophila (Eloeophila) mundata</i> | | Nb |
| <i>Limnophila (Phylidorea) abdominalis</i> | | Nb |
| <i>Limonia (Atypophthalmus) inusta</i> | | Nb |
| <i>Limonia (Dicranomyia) aquosa</i> | | Nb |
| <i>Lipsothrix nervosa</i> | | P |
| <i>Lispe uliginosa</i> | | Nb |
| <i>Lonchoptera nitidifrons</i> | | Nb |
| <i>Lonchoptera scutellata</i> | | Nb |
| <i>Macrocerca inversa</i> | | RDB2 |
| <i>Macrocerca tusca</i> | | Nb |
| <i>Megasyrphus annulipes</i> | | Nb |
| <i>Melangyna guttata</i> | | Nb |
| <i>Melangyna triangulifera</i> | | Nb |
| <i>Metasyrphus latilunulatus</i> | | Nb |
| <i>Metasyrphus nielseni</i> | | Nb |
| <i>Metasyrphus nitens</i> | | Nb |

FLIES

| Scientific Name | Common Name | Status |
|-----------------------------------|-------------------|---------|
| <i>Microdon mutabilis</i> | | Nb |
| <i>Micromorphus albipes</i> | | Nb |
| <i>Molophilus czizeki</i> | | RDB3 |
| <i>Mycetophila hetschkoii</i> | | Nb |
| <i>Mycetophila lastovkiae</i> | | pRDB2 |
| <i>Mycetophila scotica</i> | | pRDB2 |
| <i>Mycomya ornata</i> | | RDB3 |
| <i>Mycomya pectinifera</i> | | pRDB3 |
| <i>Myolepta luteola</i> | | Nb |
| <i>Myolepta potens</i> | | RDB1, P |
| <i>Myopa extricata</i> | | RDB3 |
| <i>Myopa strandi</i> | | RDB3 |
| <i>Neoascia geniculata</i> | | Nb |
| <i>Neoascia obliqua</i> | | Nb |
| <i>Neocnemodon latitarsis</i> | | Nb |
| <i>Neocnemodon pubescens</i> | | Nb |
| <i>Neoempheria striata</i> | | pRDB1 |
| <i>Neopachygaster meromelaena</i> | | Nb |
| <i>Neoplatyura biunbrata</i> | | RDB2 |
| <i>Neuratelia nigricornis</i> | | Nb |
| <i>Neurigona saturalis</i> | | Nb |
| <i>Odontomyia angulata</i> | | RDB1 |
| <i>Odontomyia argentata</i> | | RDB2 |
| <i>Odontomyia ornata</i> | | RDB2 |
| <i>Odontomyia tigrina</i> | | Nb |
| <i>Oedalea tibialis</i> | | Nb |
| <i>Oestrus ovis</i> | Sheep Nostril Fly | pRDB3 |
| <i>Ogcodes gibbosus</i> | | Nb |
| <i>Opomyza lineatopunctata</i> | | Nb |
| <i>Orthoceratium lacustre</i> | | Nb |
| <i>Orthonevra brevicornis</i> | | Nb |
| <i>Orthonevra geniculata</i> | | Nb |
| <i>Oscinella angularis</i> | | Nb |
| <i>Oscinomorpha arcuata</i> | | Nb |
| <i>Oxycera analis</i> | | RDB2 |
| <i>Oxycera pardalina</i> | | Nb |
| <i>Oxycera terminata</i> | | RDB2 |
| <i>Palaeodocusia alpicola</i> | | pRDBK |
| <i>Pamponerus germanicus</i> | | pRDB3 |
| <i>Paraclusia tigrina</i> | | RDB2 |
| <i>Parhelophilus consimilis</i> | | RDB2 |
| <i>Pelecocera tricincta</i> | | RDB3 |
| <i>Phalacrocerata replicata</i> | | Nb |
| <i>Pherbellia annulipes</i> | | Nb |
| <i>Pherbellia dorsata</i> | | Nb |
| <i>Pherbellia nana</i> | | Nb |
| <i>Phthiria pulicaria</i> | | Nb |
| <i>Pilaria fuscipennis</i> | | Nb |
| <i>Pipiza lugubris</i> | | Nb |
| <i>Pipizella virens</i> | | Nb |
| <i>Platycheirus discimanus</i> | | Nb |
| <i>Platypalpus cryptospina</i> | | Nb |
| <i>Pocota personata</i> | | RDB2 |
| <i>Poecilobothrus ducalis</i> | | RDB2 |
| <i>Potamia setifemur</i> | | RDB1 |
| <i>Psacadina verbekei</i> | | Nb |
| <i>Pteromicra leucopeza</i> | | RDB2 |
| <i>Ptiolina obscura</i> | | Nb |
| <i>Pyrellia rapax</i> | | pRDB2 |
| <i>Rhaphium auctum</i> | | Nb |

FLIES

| Scientific Name | Common Name | Status |
|--------------------------------------|-------------|--------|
| <i>Rhingia rostrata</i> | | RDB3 |
| <i>Rhopalopterum femoralis</i> | | Nb |
| <i>Rymosia placida</i> | | Nb |
| <i>Rymosia winnertzi</i> | | Nb |
| <i>Sapromyza albiceps</i> | | Nb |
| <i>Sapromyza opaca</i> | | Nb |
| <i>Sarcophaga arcipes</i> | | Nb |
| <i>Scathophaga decipiens</i> | | Nb |
| <i>Sciomyza simplex</i> | | Nb |
| <i>Sciophila fenestella</i> | | Nb |
| <i>Scleroprocta pentagonalis</i> | | RDB3 |
| <i>Scleroprocta sororcula</i> | | Nb |
| <i>Siphonella oscinina</i> | | Nb |
| <i>Sphegina verecunda</i> | | Nb |
| <i>Stenomicra cogani</i> | | pRDB3 |
| <i>Stratiomys chamaeleon</i> | | RDB1 |
| <i>Stratiomys longicornis</i> | | RDB2 |
| <i>Stratiomys potamida</i> | | Nb |
| <i>Stratiomys singularior</i> | | Nb |
| <i>Suillia dumicola</i> | | Nb |
| <i>Symphoromyia immaculata</i> | | Nb |
| <i>Syndyas nigripes</i> | | Nb |
| <i>Tabanus bovinus</i> | | pRDBK |
| <i>Tachytrechus consobrinus</i> | | Nb |
| <i>Tasiocera fuscescens</i> | | pRDB1 |
| <i>Tetanocera phyllophora</i> | | Nb |
| <i>Thaumastoptera calceata</i> | | Nb |
| <i>Thelymorphia marmorata</i> | | Nb |
| <i>Thinophilus ruficornis</i> | | Nb |
| <i>Thrypticus nigricauda</i> | | Nb |
| <i>Tipula (Lunatipula) selene</i> | | pRDB3 |
| <i>Tipula (Schummelia) yerburyi</i> | | Nb |
| <i>Tipula (Yamatipula) marginata</i> | | RDB3 |
| <i>Trichocera maculipennis</i> | | Nb |
| <i>Urophora solstitialis</i> | | pRDB3 |
| <i>Vanoyia tenuicornis</i> | | Nb |
| <i>Volucella inanis</i> | | Nb |
| <i>Volucella inflata</i> | | Nb |
| <i>Volucella zonaria</i> | | Nb |
| <i>Xanthandrus comtus</i> | | Nb |
| <i>Xylota abiens</i> | | Nb |
| <i>Xylota coeruleiventris</i> | | Nb |
| <i>Xylota florum</i> | | Nb |
| <i>Xylota tarda</i> | | Nb |
| <i>Xylota xanthocnema</i> | | Nb |
| <i>Zodion notatum</i> | | pRDB3 |
| <i>Zophomyia temula</i> | | Nb |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB1 - Endangered

RDB2 - Vulnerable

RDB3 - Rare

RDBK - Insufficient data available to put in one of the above categories

The prefix 'p' denotes a provisional RDB status

Nationally Scarce

Na - Nationally scarce A (recorded in 16-30 10 km squares nationally)

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

Other categories

P - Biodiversity action plan species

ANTS, BEES AND WASPS

| Scientific Name | Common Name | Status |
|--------------------------------|---------------------------|--------|
| <i>Ancistrocerus antilope</i> | | RDB3 |
| <i>Andrena humilis</i> | | Nb |
| <i>Andrena lathyri</i> | | RDB1 P |
| <i>Andrena nitidiusculus</i> | | RDB3 |
| <i>Andrena niveata</i> | | RDB2 |
| <i>Andrena ocreata</i> | | Nb |
| <i>Andrena proxima</i> | | RDB3 |
| <i>Andrena rosae</i> | | RDB2 |
| <i>Andrena trimmerana</i> | Trimmer's Mining Bee | Nb |
| <i>Andrena varians</i> | | Nb |
| <i>Anoplus caviventris</i> | | Nb |
| <i>Anthophora retusa</i> | Potter Flower Bee | RDB1 |
| <i>Bombus distinguendus</i> | Great Yellow Bumble Bee | Nb P |
| <i>Bombus ruderatus</i> | Large Garden Bumble Bee | Nb P |
| <i>Bombus rupestris</i> | Hill Cuckoo Bee | Nb |
| <i>Bombus sylvarum</i> | Shrill Carder Bee | Nb P |
| <i>Chrysis gracillima</i> | | RDB2 |
| <i>Crossocerus palmipes</i> | | Nb |
| <i>Crossocerus walkeri</i> | | Nb |
| <i>Dasypoda altercator</i> | Hairy Legged Mining Bee | Nb |
| <i>Ectemnius sexcinctus</i> | | Nb |
| <i>Formica cunicularia</i> | | local |
| <i>Formica rufa</i> | Red Wood Ant | P |
| <i>Formicronexus nitidulus</i> | | Nb |
| <i>Lasioglossum malachurus</i> | | Nb |
| <i>Lasioglossum xanthopum</i> | Yellow Footed Mining Bee | Nb |
| <i>Lestphorus bicinctus</i> | | Nb |
| <i>Macrophyia albicincta</i> | | Nb |
| <i>Megachile leachella</i> | Silvery Leaf-cutter Bee | Nb |
| <i>Mimesa littoralis</i> | | RDB3 |
| <i>Mimesa spooneri</i> | | RDB3 |
| <i>Miscophus ater</i> | | RDB2 |
| <i>Mutilla europaea</i> | Large Velvet Ant | Nb |
| <i>Myrmecina graminicola</i> | Grass Ant | local |
| <i>Myrmica lobicornis</i> | | local |
| <i>Myrmica schencki</i> | | Nb |
| <i>Myrmica sulcinodis</i> | | Nb? |
| <i>Nomada argentata</i> | | RDB3 |
| <i>Nomada conjungens</i> | | RDB2 |
| <i>Nomada flavopicta</i> | | Nb |
| <i>Nomada fulvicornis</i> | 6-banded Nomad Bee | RDB3 |
| <i>Nomada hirtipes</i> | | RDB3 |
| <i>Nomada lathburiana</i> | | RDB3 |
| <i>Nysson dimidiatus</i> | Small Spurred Digger Wasp | Nb |
| <i>Nysson trimaculatus</i> | | Nb |
| <i>Omalus violaceus</i> | | Nb |
| <i>Osmia bicolor</i> | Two Coloured Mason Bee | Nb |
| <i>Philanthus triangulum</i> | Bee Wolf | RDB2 |
| <i>Podalonia hirsuta</i> | Hairy Sand Wasp | Nb |
| <i>Ponera coarctata</i> | Indolent Ant | Nb |
| <i>Priocnemis agilis</i> | | Nb |
| <i>Priocnemis hyalinata</i> | | Nb |
| <i>Psen bicolor</i> | Two Coloured Mimic Wasp | RDB2 |
| <i>Sapyga clavicornis</i> | | Nb |
| <i>Solenopsis fugax</i> | | RDB3 |
| <i>Sphecodes crassus</i> | | Nb |
| <i>Sphecodes ferruginatus</i> | | Nb |
| <i>Sphecodes miniatus</i> | | Nb |
| <i>Sphecodes scabricollis</i> | | RDB3 |
| <i>Sphecodes spinulosus</i> | | RDB2 |

ANTS, BEES AND WASPS

| Scientific Name | Common Name | Status |
|--------------------------------|----------------|--------|
| <i>Spilomena troglodytes</i> | | RDB3 |
| <i>Stelis phaeoptera</i> | | RDB2 |
| <i>Stelis punctulatissima</i> | | Nb |
| <i>Stenamma debile</i> | | Nb |
| <i>Stenamma westwoodi</i> | Westwood's Ant | Na |
| <i>Symmorphus connexus</i> | | RDB3 |
| <i>Symmorphus crassicornis</i> | | RDB3 |
| <i>Tapinoma erraticum</i> | Erratic Ant | Nb |
| <i>Tetramorium caespitum</i> | Turf Ant | local |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB1 - Endangered

RDB2 - Vulnerable

RDB3 - Rare

Nationally Scarce

Na - Nationally scarce A (recorded in 16-30 10 km squares nationally)

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

Other categories

P - Biodiversity action plan species

SPIDERS

| Scientific Name | Status |
|-----------------------------------|--------|
| <i>Achaearanea simulans</i> | Nb |
| <i>Aelurillus v-insignitus</i> | Nb |
| <i>Aulonia albimana</i> | RDB1 |
| <i>Carorita paludosa</i> | RDB2 |
| <i>Ceratinopsis romana</i> | Nb |
| <i>Gongylidiellum murcidum</i> | Nb |
| <i>Hybocoptus decollatus</i> | Nb |
| <i>Lepthyphantes insignis</i> | Nb |
| <i>Linyphia (Neriene) furtiva</i> | Nb |
| <i>Liocranum rupicola</i> | Nb |
| <i>Mastigusa macropthalma</i> | RDB3 |
| <i>Meta bourneti</i> | Nb |
| <i>Nigma puella</i> | Nb |
| <i>Ozyptila blackwalli</i> | Nb |
| <i>Pardosa agrestis</i> | Nb |
| <i>Pardosa arenicola</i> | Nb |
| <i>Pardosa paludicola</i> | RDB3 |
| <i>Pelecopsis radicicola</i> | RDB3 |
| <i>Philodromus albidus</i> | Nb |
| <i>Philodromus fallax</i> | Nb |
| <i>Philodromus praedatus</i> | Nb |
| <i>Sitticus rupicola</i> | Na |
| <i>Tetragnatha pinicola</i> | Nb |
| <i>Theridiosoma gemmosum</i> | Nb |
| <i>Trachyzelotes pedestris</i> | Nb |
| <i>Xysticus luctuosus</i> | Nb |
| <i>Zilla diodia</i> | Nb |

SPIDERS

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB1 - Endangered

RDB2 - Vulnerable

RDB3 - Rare

Nationally Scarce

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

OTHER INVERTEBRATES (not covered by preceding lists)

| Scientific Name | Common Name | Status |
|--|------------------------|-----------|
| Zosantharia- Sea Anemones | | |
| Cordylophora caspia | | Nb |
| Edwardsia ivelli | Ivell's Edwardsia | RDB1 P LP |
| Nematostella vectensis | Starlet Sea Anemone | RDB3 P LP |
| Polyzoa - Coelomate unsegmented animals | | |
| Prostoma jenningsi | | pRDBK P |
| Lophopus crystallinus | a moss animal | RDB3 P |
| Conopeum seurati | | Nb |
| Victorella pavida | Trembling Sea-mat | RDBK LP |
| Gastropoda - mollusca with distinct heads | | |
| Caecum armoricum | DeFolin's Lagoon Snail | RDBK LP |
| Paludinella littorina | Lagoon Snail | RDB3 LP |
| Truncatella subcylindrica | Looping Snail | RDB3 |
| Tenellia adspersa | Lagoon Sea-slug | RDBK P LP |
| Annelida - Segmented worms | | |
| Armandia cirrhosa | Lagoon Sandworm | RDBK P LP |
| Boreobdella verrucata | | Nb |
| Placobdella costata | | pRDBK |
| Hirudo medicinalis | Medicinal Leech | RDB3 P LP |
| Diplopoda - Millipedes | | |
| Brachychaeteuma bagnalli | | Nb |
| Brachychaeteuma bradeae | | Nb |
| Brachychaeteuma melanops | | Nb |
| Chordeuma sylvestre | | RDBK |
| Enantiulus armatus | | Nb |
| Nopoiulus kochii | | Nb |
| Polydesmus testaceus | | Nb |
| Polyzonium germanicum | | Nb |
| Stosatea italica | | Nb |
| Thalassisobates littoralis | | Nb |
| Trachysphaera lobata | | RDBK |
| Chilopoda - Centipedes | | |
| Chalandea pinguis | | RDBK |
| Cryptops anomalans | | Nb |
| Henia brevis | | Nb |

OTHER INVERTEBRATES (not covered by preceding lists)

| Scientific Name | Common Name | Status |
|---|------------------|---------|
| Chilopoda - Centipedes cont. | | |
| Pachymerium ferrugineum | | RDBK |
| Schendyla peyerimhoffi | | Nb |
| Ephemeroptera - Mayflies | | |
| Ephemeria lineata | | pRDB2 |
| Heptagenia fuscogrisea | | Nb |
| Heptagenia longicauda | | pRDB1 P |
| Paraleptophlebia wernerii | | pRDB3 |
| Potamanthus luteus | | pRDB2 |
| Plecoptera - Stoneflies | | |
| Brachyptera putata | | Nb P |
| Chloroperla apicalis | | Nb |
| Isogenus nubecula | | pRDB2 |
| Nemoura dubitans | | Nb |
| Rhabdiopteryx acuminata | | Nb |
| Dermaptera - Earwigs | | |
| Apterygida media | | Nb |
| Forficula lesnei | | Nb |
| Labidura riparia | | RDBK |
| Dictyoptera - Cockroaches | | |
| Ectobius lapponicus | Dusky Cockroach | Nb |
| Ectobius pallidus | Tawny Cockroach | Nb |
| Ectobius panzeri | Lesser Cockroach | Nb |
| Neuroptera - Lacewings | | |
| Chrysopa abbreviata | | Nb |
| Coniopteryx borealis | | pRDB3 |
| Helicoconis lutea | | pRDB3 |
| Hemerobius contumax | | pRDB3 |
| Hemerobius perelegans | | Nb |
| Megalomus hirtus | | Nb |
| Micromus angulatus | | Nb |
| Nothochrysa fulviceps | | Nb |
| Osmylus fulvicephalus | | Nb |
| Psectra diptera | | Nb |
| Sialis nigripes | | pRDB3 |
| Sisyra dalii | | Nb |
| Sisyra terminalis | | Nb |
| Sympherobius elegans | | Nb |
| Sympherobius pellucidus | | Nb |
| Wesmaelius balticus | | Nb |
| Wesmaelius ravus | | Nb |
| Strepsiptera - Allies of Coleoptera, Parasitic on Bees | | |
| Halictophagus curtisi | | Nb |
| Halictophagus silwoodensis | | Nb |
| Halictoxenos arnoldii | | Nb |
| Halictoxenos spencei | | Nb |
| Halictoxenos tumulorum | | Nb |
| Stylops analis | | Nb |
| Stylops aterrimus | | Nb |
| Stylops bimaculatae | | Nb |
| Stylops championi | | Nb |
| Stylops dalii | | Nb |
| Stylops hamella | | Nb |

OTHER INVERTEBRATES (not covered by preceding lists)

| Scientific Name | Common Name | Status |
|---|--------------|-----------|
| Strepsiptera - Allies of Coleoptera, Parasitic on Bees cont. | | |
| <i>Stylops melittae</i> | | Nb |
| <i>Stylops spencei</i> | | Nb |
| <i>Stylops spreta</i> | | Nb |
| <i>Stylops thwaitei</i> | | Nb |
| Trichoptera - Caddis flies | | |
| <i>Adicella filicornis</i> | | RDB3 |
| <i>Agrypnia crassicornis</i> | | RDB1 |
| <i>Agrypnia picta</i> | | RDBK |
| <i>Ceraclea senilis</i> | | Nb |
| <i>Cyrnus insolitus</i> | | RDBK |
| <i>Enoicyla pusilla</i> | | RDB3 |
| <i>Ernodes articularis</i> | | Nb |
| <i>Erotesis baltica</i> | | RDB2 |
| <i>Glossosoma intermedium</i> | | RDB3 |
| <i>Grammotaulius nitidus</i> | | RDB1 |
| <i>Hagenella clathrata</i> | | RDB1 |
| <i>Hydropsyche fulvipes</i> | | Nb |
| <i>Hydropsyche saxonica</i> | | RDB1 |
| <i>Hydroptila cornuta</i> | | Nb |
| <i>Hydroptila lotensis</i> | | RDB2 |
| <i>Hydroptila sylvestris</i> | | RDBK |
| <i>Hydroptila tigurina</i> | | RDBK |
| <i>Hydroptila valesiaca</i> | | Nb |
| <i>Ironoquia dubia</i> | | RDB2 |
| <i>Ithytrichia clavata</i> | | RDB3 |
| <i>Leptocerus interruptus</i> | | RDB3 |
| <i>Leptocerus lusitanicus</i> | | RDB2 |
| <i>Limnephilus borealis</i> | | Nb |
| <i>Limnephilus pati</i> | | RDB1 |
| <i>Limnephilus subcentralis</i> | | Nb |
| <i>Limnephilus tauricus</i> | | RDB1 |
| <i>Mesophylax aspersus</i> | | RDBK |
| <i>Metatype fragilis</i> | | Nb |
| <i>Nemotaulus punctatolineatus</i> | | RDB2 |
| <i>Oecetis notata</i> | | RDB3 |
| <i>Oxyethira mirabilis</i> | | RDBK |
| <i>Oxyethira tristella</i> | | RDBK |
| <i>Phacopteryx brevipennis</i> | | Nb |
| <i>Plectrocnemia brevis</i> | | Nb |
| <i>Rhyacophila septentrionis</i> | | Nb |
| <i>Setodes argentipunctellus</i> | | RDB3 |
| <i>Setodes punctatus</i> | | RDB2 |
| <i>Tinodes dives</i> | | Nb |
| <i>Tinodes pallidulus</i> | | RDB1 |
| <i>Tinodes rostocki</i> | | Nb |
| <i>Tinodes unicolor</i> | | Nb |
| <i>Tricholeiochiton fagesii</i> | | Nb |
| <i>Ylodes conspersus</i> | | Nb |
| <i>Ylodes simulans</i> | | RDB2 |
| Crustacea | | |
| <i>Chirocephalus diaphanus</i> | Fairy Shrimp | RDB2 LP |
| <i>Triops cancriformis</i> | Apus | RDB1 P LP |
| <i>Acroporus angustatus</i> | | Nb |
| <i>Alona elegans</i> | | Nb |

OTHER INVERTEBRATES (not covered by preceding lists)

| Scientific Name | Common Name | Status |
|-------------------------------------|---------------------|------------|
| Crustacea cont. | | |
| <i>Alona protzi</i> | | Nb |
| <i>Alona weltneri</i> | | Nb |
| <i>Anchistropus emarginatus</i> | | Nb |
| <i>Camptocercus lilljeborgi</i> | | Nb |
| <i>Ceriodaphnia setosa</i> | | Nb |
| <i>Chydorus gibbus</i> | | Nb |
| <i>Chydorus latus</i> | | Nb |
| <i>Daphnia rosea</i> | | Nb |
| <i>Dunhevedia crassa</i> | | Nb |
| <i>Echinisca tenuicornis</i> | | Nb |
| <i>Eury cercus glacialis</i> | | Nb |
| <i>Kurzia latissima</i> | | Nb |
| <i>Lathonura rectirostris</i> | | Nb |
| <i>Leydigia acanthocercoides</i> | | Nb |
| <i>Macrothrix hirsuticornis</i> | | Nb |
| <i>Macrothrix laticornis</i> | | Nb |
| <i>Moina macrocopa</i> | | Nb |
| <i>Ophryoxus gracilis</i> | | Nb |
| <i>Scapholeberis aurita</i> | | Nb |
| <i>Simocephalus serrulatus</i> | | Nb |
| <i>Tretocephala ambigua</i> | | Nb |
| <i>Cypris bispinosa</i> | | Nb |
| <i>Limnocalanus macrurus</i> | | pRDB1 |
| <i>Microcyclops demetriensis</i> | | Nb |
| <i>Salmincola edwardsii</i> | | Nb |
| <i>Salmincola thymalli</i> | | Nb |
| <i>Trachelastes polycopus</i> | | Nb |
| <i>Mysis relicta</i> | | RDB1 |
| <i>Armadillidium album</i> | | Nb |
| <i>Armadillidium pictum</i> | | RDB3 |
| <i>Armadillidium pulchellum</i> | | Nb |
| <i>Asellus cavaticus</i> | | Nb |
| <i>Buddelundiella cataractae</i> | | Nb |
| <i>Eluma purpurascens</i> | | Nb |
| <i>Halophiloscia couchi</i> | | Nb |
| <i>Metatrichoniscoides celticus</i> | | RDBK |
| <i>Miktoniscus patiencei</i> | | Nb |
| <i>Stenophiloscia zosterae</i> | | Nb |
| <i>Trichoniscoides albidus</i> | | Nb |
| <i>Trichoniscoides helveticus</i> | | Nb |
| <i>Trichoniscoides saeroensis</i> | | Nb |
| <i>Allomelita pellucida</i> | | pRDBK |
| <i>Corophium lacustre</i> | | RDB3 |
| <i>Corophium multisetosum</i> | | Nb |
| <i>Crangonyx subterraneus</i> | | Nb |
| <i>Gammarus insensibilis</i> | | RDB3 P LP |
| <i>Leptocheirus pilosus</i> | | Nb |
| <i>Niphargellus glenniei</i> | | pRDBK |
| <i>Austropotamobius pallipes</i> | Freshwater Crayfish | P Annex II |
| Pseudoscorpions | | |
| <i>Allochernes powelli</i> | | Nb |

OTHER INVERTEBRATES (not covered by preceding lists)

| Scientific Name | Common Name | Status |
|--|-------------|--------|
| Pseudoscorpions cont. | | |
| <i>Allochernes wideri</i> | | RDBK |
| <i>Chthonius (Ephippiochthonius) tetrachelatus</i> | | Nb |
| <i>Dactylochelifer latreillei</i> | | Nb |
| <i>Dendrochernes cyrneus</i> | | RDB3 |
| <i>Lamprochernes savignyi</i> | | Nb |
| <i>Neobisium (Neobisium) maritimum</i> | | Nb |
| <i>Neobisium carpenteri</i> | | RDBK |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

RDB1 - Endangered

RDB2 - Vulnerable

RDB3 - Rare

RDBK - Insufficient data available to put in one of the above categories

Nationally Scarce

Na - Nationally scarce A (recorded in 16-30 10 km squares nationally)

Nb - Nationally scarce B (recorded in 31-100 10 km squares nationally)

Other categories

LP - Legally protected by Wildlife and Countryside Act (1981)

P - Biodiversity action plan species

Annex II - Species protected under Annex II of the EU habitats directive (1992)

FRESHWATER FISH

| Scientific Name | Common Name | Status |
|-----------------------------|--------------------------------------|-----------------|
| <i>Alosa alosa</i> | Allis Shad | P, LP, Annex II |
| <i>Alosa fallax</i> | Twaite Shad | P, Annex II |
| <i>Cobitis taenia</i> | Spined Loach | Annex II |
| <i>Cottus gobio</i> | Bullhead | Annex II |
| <i>Lampetra fluviatilis</i> | River Lamprey | Annex II |
| <i>Lampetra planeri</i> | Brook Lamprey | Annex II |
| <i>Petromyzon marinus</i> | Sea Lamprey | Annex II |
| <i>Salmo salar</i> | Atlantic Salmon (in freshwater only) | Annex II |
| <i>Thymallus thymallus</i> | Grayling | Annex II |

Key to Statuses

LP - Legally protected by Wildlife and Countryside Act (1981)

P - Biodiversity action plan species

Annex II - Species protected under Annex II of the EU habitats directive (1992)

AMPHIBIANS AND REPTILES

| Scientific Name | Common Name | Status |
|----------------------------|-------------------|-----------------|
| <i>Anguis fragilis</i> | Slow-worm | LP |
| <i>Lacerta vivipara</i> | Viviparous Lizard | LP |
| <i>Natrix natrix</i> | Grass Snake | LP |
| <i>Triturus cristatus</i> | Warty Newt | P, LP, Annex II |
| <i>Triturus helveticus</i> | Palmate Newt | none |
| <i>Triturus vulgaris</i> | Smooth Newt | none |
| <i>Vipera berus</i> | Adder | LP |

Key to Statuses

LP - Legally protected by Wildlife and Countryside Act (1981)

P - Biodiversity action plan species

Annex II - Species protected under Annex II of the EU habitats directive (1992)

None - Species with none of the above designations.

BIRDS

| Common Name | Scientific Name | Status | Codes |
|----------------------|---------------------------------|-------------------------------|-------|
| Aquatic Warbler | <i>Acrocephalus paludicola</i> | SPEC1, P | A |
| Avocet | <i>Recurvirostra avosetta</i> | BL, SPEC2/3, WL, LP, Annex I | AC |
| Bar-tailed Godwit | <i>Limosa lapponica</i> | SPEC2/3, WI, WL | C |
| Barn Owl | <i>Tyto alba</i> | BDM, SPEC2/3, LP | BC |
| Barnacle Goose | <i>Branta leucopsis</i> | SPEC2/3, WI, WL, Annex I | C |
| Bean Goose | <i>Anser fabalis</i> | WL, Annex I | AC |
| Bearded Tit | <i>Panurus biarmicus</i> | BL, LP | ABC |
| Bewick's Swan | <i>Cygnus columbianus</i> | SPEC2/3, WI, WL, LP, Annex I | AC |
| Bittern | <i>Botaurus stellaris</i> | BD, HD, P, LP, Annex I | ABC |
| Black Redstart | <i>Phoenicurus ochruros</i> | BR | ABC |
| Black Tern | <i>Chlidonias niger</i> | LP, Annex I | A |
| Black-necked Grebe | <i>Podiceps nigricollis</i> | BR, LP, Annex I | ABC |
| Black-tailed Godwit | <i>Limosa limosa</i> | HD, LP | ABC |
| Black-throated Diver | <i>Gavia arctica</i> | BR, SPEC2/3, LP, Annex I | AC |
| Blackbird | <i>Turdus merula</i> | BDM | D |
| Brambling | <i>Fringilla montifringilla</i> | BR, LP | C |
| Brent Goose | <i>Branta bernicla</i> | SPEC2/3, WI, WL | C |
| Bullfinch | <i>Pyrrhula pyrrhula</i> | BD, P | D |
| Cetti's Warbler | <i>Cettia cetti</i> | BR | ABC |
| Cirl Bunting | <i>Emberiza cirlus</i> | BD, P, LP | ABC |
| Common Gull | <i>Larus canus</i> | SPEC2/3 | C |
| Common Scoter | <i>Melanitta nigra</i> | BD, P, LP | C |
| Corn Bunting | <i>Miliaria calandra</i> | BD, HD, P | ABC |
| Corncrake | <i>Crex crex</i> | BD, HD, SPEC1, P, LP, Annex I | AB |
| Crossbill | <i>Loxia curvirostra</i> | LP | ABC |
| Curlew | <i>Numenius arquata</i> | BI, SPEC2/3, WI | BC |
| Dartford Warbler | <i>Sylvia undata</i> | HD, LP, Annex I | ABC |
| Dotterel | <i>Charadrius morinellus</i> | BL, LP, Annex I | A |
| Dunlin | <i>Calidris alpina</i> | SPEC2/3, WI, WL | BC |
| Dunnock | <i>Prunella modularis</i> | BDM | D |
| Eider | <i>Somateria mollissima</i> | WL | C |
| Fieldfare | <i>Turdus pilaris</i> | BR, LP | C |
| Firecrest | <i>Regulus ignicapillus</i> | BR, LP | ABC |
| Gadwall | <i>Anas strepera</i> | SPEC2/3, WI, WL, Annex I | ABC |
| Gannet | <i>Sula bassana</i> | BI, BL, SPEC2/3 | C |
| Garganey | <i>Anas querquedula</i> | BR, SPEC2/3, LP | AB |
| Golden Oriole | <i>Oriolus oriolus</i> | BR, LP | A |
| Golden Plover | <i>Pluvialis apricaria</i> | WI, Annex I | BC |
| Goldeneye | <i>Bucephala clangula</i> | BR, WL | A |
| Goldfinch | <i>Carduelis carduelis</i> | BDM | CD |

BIRDS

| Common Name | Scientific Name | Status | Codes |
|---------------------------|--------------------------------------|----------------------------------|-------|
| Goosander | <i>Mergus merganser</i> | none | ABC |
| Goshawk | <i>Accipiter gentilis</i> | LP | ABC |
| Grasshopper Warbler | <i>Locustella naevia</i> | BDM | B |
| Great Crested Grebe | <i>Podiceps cristatus</i> | none | AB |
| Great Grey Shrike | <i>Lanius excubitor</i> | none | AC |
| Great Northern Diver | <i>Gavia immer</i> | WI, LP, Annex I | AC |
| Great Skua | <i>Stercorarius skua</i> | BI, BL | A |
| Green Sandpiper | <i>Tringa ochropus</i> | LP | AC |
| Green Woodpecker | <i>Picus viridis</i> | SPEC2/3 | D |
| Greenshank | <i>Tringa nebularia</i> | BL, LP | AC |
| Grey Heron | <i>Ardea cinerea</i> | none | B |
| Grey Partridge | <i>Perdix perdix</i> | BD, P, Annex I | B |
| Grey Phalarope | <i>Phalaropus fulicarius</i> | P, Annex I | A |
| Grey Plover | <i>Pluvialis squatarola</i> | WI, WL | C |
| Greylag Goose | <i>Anser anser</i> | WI, WL | BC |
| Guillemot | <i>Uria aalge</i> | BI, BL | BC |
| Hawfinch | <i>Coccothraustes coccothraustes</i> | BDM | BC |
| Hen Harrier | <i>Circus cyaneus</i> | HD, LP, Annex I | ABC |
| Herring Gull | <i>Larus argentatus</i> | BDM | B |
| Hobby | <i>Falco subbuteo</i> | none | AB |
| Honey Buzzard | <i>Pernis apivorus</i> | BR, LP, Annex I | AB |
| Hoopoe | <i>Upupa epops</i> | LP | A |
| Jack Snipe | <i>Lymnocryptes minimus</i> | SPEC2/3 | C |
| Kestrel | <i>Falco tinnunculus</i> | BDM, SPEC2/3 | D |
| Kingfisher | <i>Alcedo atthis</i> | SPEC2/3, LP | AB |
| Knot | <i>Calidris canutus</i> | SPEC2/3, WI, WL | C |
| Lapland Bunting | <i>Calcarius lapponicus</i> | LP | AC |
| Lapwing | <i>Vanellus vanellus</i> | WI | BC |
| Lesser Black-backed Gull | <i>Larus fuscus</i> | BI, BL | B |
| Lesser Spotted Woodpecker | <i>Dendrocopos minor</i> | none | BC |
| Linnet | <i>Carduelis cannabina</i> | BD, P | CD |
| Little Egret | <i>Egretta garzetta</i> | none | B |
| Little Gull | <i>Larus minutus</i> | BR, SPEC2/3, LP | AC |
| Little Owl | <i>Athene noctua</i> | none | BD |
| Little Ringed Plover | <i>Charadrius dubius</i> | LP | AB |
| Little Tern | <i>Sterna albifrons</i> | SPEC2/3, LP, Annex I | A |
| Long-eared Owl | <i>Asio otus</i> | none | BC |
| Long-tailed Duck | <i>Clangula hyemalis</i> | LP | C |
| Manx Shearwater | <i>Puffinus puffinus</i> | BI, BL, SPEC2/3 | B |
| Marsh Harrier | <i>Circus aeruginosus</i> | HD, LP, Annex I | ABC |
| Marsh Tit | <i>Parus palustris</i> | BDM | B |
| Marsh Warbler | <i>Acrocephalus palustris</i> | BD, P, LP | AB |
| Mediterranean Gull | <i>Larus melanocephalus</i> | BR, LP, Annex I | AC |
| Merlin | <i>Falco columbarius</i> | HD, LP, Annex I | AB |
| Montagu's Harrier | <i>Circus pygargus</i> | BDM, BR, LP, Annex I | AB |
| Nightingale | <i>Luscinia megarhynchos</i> | BDM | B |
| Nightjar | <i>Caprimulgus europaeus</i> | BD, P, Annex I | B |
| Osprey | <i>Pandion haliaetus</i> | HD, LP, Annex I | A |
| Oystercatcher | <i>Haematopus ostralegus</i> | WI, WL | CD |
| Peregrine | <i>Falco peregrinus</i> | SPEC2/3, LP, Annex I | B |
| Pied Flycatcher | <i>Ficedula hypoleuca</i> | none | BD |
| Pink-footed Goose | <i>Anser brachyrhyncus</i> | WI, WL, Annex I | C |
| Pintail | <i>Anas acuta</i> | BR, SPEC2/3, WI, WL, LP, Annex I | BC |
| Pochard | <i>Aythya ferina</i> | WI, WL, Annex I | BC |
| Puffin | <i>Fratercula arctica</i> | BL, SPEC2/3 | AB |
| Purple Heron | <i>Ardea purpurea</i> | LP | A |
| Purple Sandpiper | <i>Calidris maritima</i> | BR, WI, LP | C |
| Quail | <i>Coturnix coturnix</i> | HD, LP | AB |
| Razorbill | <i>Alca torda</i> | BL | BC |
| Red Grouse | <i>Lagopus lagopus</i> | Annex I | B |

BIRDS

| Common Name | Scientific Name | Status | Codes |
|----------------------|----------------------------------|--------------------------|-------|
| Red Kite | <i>Milvus milvus</i> | HD, LP, Annex I | AC |
| Red-backed Shrike | <i>Lanius collurio</i> | BD, HD, P, LP | A |
| Red-necked Grebe | <i>Podiceps grisegena</i> | BR | AC |
| Red-necked Phalarope | <i>Phalaropus lobatus</i> | HD, LP | AC |
| Red-throated Diver | <i>Gavia stellata</i> | SPEC2/3 | AC |
| Redshank | <i>Tringa totanus</i> | SPEC2/3, WI | BC |
| Redstart | <i>Phoenicurus phoenicurus</i> | SPEC2/3 | D |
| Redwing | <i>Turdus iliacus</i> | BR, LP | C |
| Reed Bunting | <i>Emberiza schoeniclus</i> | BD, P | D |
| Ring Ouzel | <i>Turdus torquatus</i> | BDM | B |
| Ringed Plover | <i>Charadrius hiaticula</i> | WI | BC |
| Roseate Tern | <i>Sterna dougallii</i> | BD, P, LP | AB |
| Ruff | <i>Philomachus pugnax</i> | BR, WL, LP, Annex I | C |
| Sand Martin | <i>Riparia riparia</i> | SPEC2/3, LP | D |
| Sanderling | <i>Calidris alba</i> | none | C |
| Savi's Warbler | <i>Locustella luscinioides</i> | BR, LP | A |
| Scaup | <i>Aythya marila</i> | BR, SPEC2/3 | AC |
| Shag | <i>Phalacrocorax aristotelis</i> | BI | B |
| Shelduck | <i>Tadorna tadorna</i> | BI, WI, WL | BC |
| Shore Lark | <i>Eremophila alpestris</i> | LP | AC |
| Short-eared Owl | <i>Asio flammeus</i> | SPEC2/3, Annex I | BC |
| Shoveler | <i>Anas clypeata</i> | WI, Annex I | BC |
| Skylark | <i>Alauda arvensis</i> | BD, P | CD |
| Slavonian Grebe | <i>Podiceps auritus</i> | BR, LP | AC |
| Snipe | <i>Gallinago gallinago</i> | BDM | BC |
| Snow Bunting | <i>Plectrophenax nivalis</i> | BR, LP | AC |
| Song Thrush | <i>Turdus philomelos</i> | BD, P | CD |
| Spoonbill | <i>Platalea leucorodia</i> | LP | A |
| Spotted Crake | <i>Porzana porzana</i> | BDM, BR, LP, Annex I | AB |
| Spotted Flycatcher | <i>Muscicapa striata</i> | BD, P | D |
| Stock Dove | <i>Columba oenas</i> | BI | D |
| Stone-curlew | <i>Burhinus oedicnemus</i> | BD, P, LP | AB |
| Stonechat | <i>Saxicola torquata</i> | SPEC2/3 | B |
| Swallow | <i>Hirundo rustica</i> | BDM, SPEC2/3 | D |
| Teal | <i>Anas crecca</i> | WI, Annex I | BC |
| Temminck's Stint | <i>Calidris temminckii</i> | BR, LP | A |
| Tree Sparrow | <i>Passer montanus</i> | BD, P | B |
| Turnstone | <i>Arenaria interpres</i> | WI | C |
| Turtle Dove | <i>Streptopelia turtur</i> | BD, P | B |
| Twite | <i>Carduelis flavirostris</i> | HD | C |
| Velvet Scoter | <i>Melanitta fusca</i> | SPEC2/3, WL, LP | AC |
| Water Rail | <i>Rallus aquaticus</i> | BDM | B |
| Waxwing | <i>Bombycilla garrulus</i> | none | AC |
| Whimbrel | <i>Numenius phaeopus</i> | BL, LP | A |
| Whinchat | <i>Saxicola rubetra</i> | none | D |
| White-fronted Goose | <i>Anser albifrons</i> | WL, Annex I | C |
| Whooper Swan | <i>Cygnus cygnus</i> | BR, WI, WL, LP, Annex I | AC |
| Wigeon | <i>Anas penelope</i> | WI, WL, Annex I | C |
| Willow Tit | <i>Parus montanus</i> | BDM | B |
| Wood Sandpiper | <i>Tringa glareola</i> | BR, SPEC2/3, LP, Annex I | C |
| Wood Warbler | <i>Phylloscopus sibilatrix</i> | none | ABD |
| Woodcock | <i>Scolopax rusticola</i> | BDM, SPEC2/3 | B |
| Woodlark | <i>Lullula arborea</i> | BD, P, LP, Annex I | ABC |
| Wryneck | <i>Jynx torquilla</i> | BD, HD, P, LP | AB |
| Yellow Wagtail | <i>Motacilla flava</i> | none | BD |

BIRDS

KEY to statuses:

Red List Criteria

- BD >=50% decline in UK breeding population or range over the previous 25 years
HD historical population decline in the UK between 1800-1995
SPEC1 Species of global conservation concern

Amber List Criteria

- BDM moderate decline (25-49%) in UK breeding population or range over the previous 25 years
BR five year mean of 0.2-300 breeding pairs in the UK
BI >=20% of the European population in the UK
WI >=20% of the north-west European (wildfowl), East Atlantic Flyway (waders) or European (others) non-breeding populations in the UK
BL >=50% of the UK breeding population can be found in 10 or fewer sites, but not BR
WL >=50% of the UK non-breeding population can be found in 10 or fewer sites
SPEC2/3 species with an unfavourable conservation status in Europe

Other categories

- LP Legally protected by Wildlife and Countryside Act (1981)
P Biodiversity Action Plan Priority species
Annex I Species protected under Annex I of the EU Birds directive

Key To Codes

- A Notable sightings, this category includes birds with low national populations (less than 10,000 individuals) at any time of year.
A sighting of a bird in this category at any time of year constitutes a notable record
- B Breeding notable, this category includes species which are uncommon breeders at a national scale and which breed or have bred in Somerset or the South-west. For a record to be notable a bird must be showing some evidence of breeding
- C Wintering notable, this category includes species which are uncommon winterers or which winter in internationally important numbers, a sighting of this bird in autumn or winter constitutes a notable record, providing it is not simply flying over a site on its migratory route.
- D Declining breeder, this category includes species which breed in too large a number to be selected for category B, but which have declined in breeding numbers. For a sighting to be a notable record, birds must be exhibiting some evidence of breeding.

MAMMALS

| Common Name | Scientific Name | Status |
|------------------------|----------------------------------|-----------------------|
| Badger | <i>Meles meles</i> | RDB, LP |
| Barbastelle | <i>Barbastella barbastellus</i> | RDB1, P, LP, Annex II |
| Bechstein's Bat | <i>Myotis bechsteini</i> | RDB1, P, LP, Annex II |
| Brandt's Bat | <i>Myotis brandti</i> | RDB, LP |
| Brown Hare | <i>Lepus capensis</i> | RDB, P |
| Brown Long-eared Bat | <i>Plecotus auritus</i> | RDB, LP |
| Common Dormouse | <i>Muscardinus avellanarius</i> | RDB, P, LP |
| Common Pipistrelle | <i>Pipistrellus pipistrellus</i> | RDB, P, LP |
| Common Porpoise | <i>Phocoena phocoena</i> | P |
| Daubenton's Bat | <i>Myotis daubentonii</i> | RDB, LP |
| Greater Horseshoe Bat | <i>Rhinolophus ferrumequinum</i> | RDB, P, LP, Annex II |
| Grey Long-eared Bat | <i>Plecotus austriacus</i> | RDB |
| Leisler's Bat | <i>Nyctalus leisleri</i> | RDB, LP |
| Lesser Horseshoe Bat | <i>Rhinolophus hipposideros</i> | RDB, P, LP, Annex II |
| Nathusius' Pipistrelle | <i>Pipistrellus nathusii</i> | RDB, LP |
| Natterer's Bat | <i>Myotis nattereri</i> | RDB, LP |

MAMMALS

| Common Name | Scientific Name | Status |
|---------------------|------------------------------|-----------------------|
| Noctule | <i>Nyctalus noctula</i> | RDB, LP |
| Otter | <i>Lutra lutra</i> | RDB1, P, LP, Annex II |
| Serotine | <i>Eptesicus serotinus</i> | RDB, LP |
| Soprano Pipistrelle | <i>Pipistrellus pygmaeus</i> | RDB, LP |
| Water Shrew | <i>Neomys fodiens</i> | RDB |
| Water Vole | <i>Arvicola terrestris</i> | RDB, P |
| Whiskered Bat | <i>Myotis mystacinus</i> | RDB, LP |
| Yellow-necked Mouse | <i>Apodemus flavicollis</i> | RDB |

Key to Statuses

RDB - Red Data Book (recorded in less than 15 10 km squares nationally)

Other categories

LP - Legally protected by Wildlife and Countryside Act (1981/88)

P - Biodiversity action plan species

Annex II - Species protected under Annex II of the EU habitats directive (1992)

APPENDIX A - CONSERVATION PROBLEM SPECIES

The following lists include species which do not satisfy the strict criteria for inclusion as county notables, but which it is felt would benefit from additional recording effort. Species have been added on a purely subjective basis and it is hoped that the lists will be expanded in the future. All records of species on these lists will be entered into the SERC database.

| Scientific Name | Common Name | Code |
|-----------------------------------|-------------------------|------|
| Vascular Plants | | |
| <i>Crassula helmsii</i> | New Zealand Pigmyweed | I |
| <i>Crocosmia x crocosmiiflora</i> | Montbretia | I |
| <i>Elodea canadensis</i> | Canadian Waterweed | I |
| <i>Fallopia japonica</i> | Japanese Knotweed | I |
| <i>Heracleum mantegazzianum</i> | Giant Hogweed | I |
| <i>Hydrocotyle ranunculoides</i> | Floating Pennywort | I |
| <i>Impatiens glandulifera</i> | Indian Balsam | I |
| <i>Lemna gibba</i> | Fat Duckweed | I |
| <i>Lonicera nitida</i> | New Zealand Honeysuckle | I |
| <i>Myriophyllum aquaticum</i> | Parrot's Feather | I |
| <i>Petasites fragrans</i> | Winter Heliotrope | I |
| <i>Potamogeton pectinatus</i> | Fennel Pondweed | I |
| <i>Rhododendron ponticum</i> | Rhododendron | I |
| <i>Smyrnium olusatrum</i> | Alexanders | I |
| Invertebrates | | |
| <i>Astacus leptodactylus</i> | Turkish Crayfish | I |
| <i>Dreissena polymorpha</i> | Zebra Mussel | I |
| <i>Pacifastacus leniusculus</i> | Signal Crayfish | I |
| Vertebrates | | |
| <i>Branta canadensis</i> | Canada Goose | I |
| <i>Muntiacus reevesi</i> | Muntjac | I |
| <i>Mustela vison</i> | American Mink | I |
| <i>Oxyura jamaicensis</i> | Ruddy Duck | I |
| <i>Sciurus carolinensis</i> | Grey Squirrel | I |
| <i>Sus scrofa</i> | Wild Boar | I |

APPENDIX B - OTHER SPECIES TO WATCH

| Scientific Name | Common Name | Code |
|----------------------------------|------------------------|------|
| Fungi | | |
| <i>Hygrocybe pratensis</i> | Meadow Wax-cap | H |
| <i>Hygrocybe reidii</i> | a basidiomycete fungus | H |
| <i>Hygrocybe splendidissima</i> | a basidiomycete fungus | H |
| Mosses | | |
| All Sphagnum species | a bog moss | H |
| Vascular Plants | | |
| <i>Hyacinthoides non-scripta</i> | Bluebell | N,H |
| <i>Lemna trisulca</i> | Ivy-leaved Duckweed | H |
| <i>Meconopsis cambrica</i> | Welsh Poppy | N |
| <i>Succisa pratensis</i> | Devil's-bit Scabious | C |
| Algae | | |
| <i>Chara hispida</i> | Bristly Stonewort | H |
| <i>Chara virgata</i> | Delicate Stonewort | H |
| <i>Chara vulgaris</i> | Common Stonewort | H |

Key to statuses

ns - nationally scarce

LP - Legally protected by Wildlife and Countryside Act
(1981/88)

Key to codes

I - Introduced or invasive species which may be a 'conservation problem'

H - Species indicative of rare or important habitats

N - Species which are nationally notable but too common in Somerset to be included in preceding lists

C - Critical species, i.e. food plants for notable invertebrates